

Index to volume 16

Author index

A

- Abel EA (see Wood et al). 1987;16:559-70
 Aberer W, Wolff-Schreiner EC, Stingl G, Wolff K. Azathioprine in the treatment of pemphigus vulgaris. 1987;16:527-33
 Ackerman NB Jr (see Purcell et al). 1987;16:172-7
 Acosta F (see Falabella et al). 1987;16:35-44
 Adam JE. The technic of curettage surgery. 1987;16:886 (Letter reply)
 — (see Finkelstein et al). 1987;16:540-5
 Adams RM (see Fisher and Adams). 1987;16:1056-7 (Letter reply)
 Akins DL, Meisenheimer JL, Dobson RL. Efficacy of the Drionic unit in the treatment of hyperhidrosis. 1987;16:828-32
 Alcalay J. Skin tags and colonic polyps. 1987;16:403 (Letter)
 Al-Gindan Y (see Kubba et al). 1987;16:1183-9
 Alzate A (see Falabella et al). 1987;16:35-44
 Andersen J (see Halkier-Sorensen et al). 1987;16:999-1006
 Anderson CD, Frödin T, Skogh M. Bronchial reactions to photochemotherapy (PUVA). 1987;16:389-90 (Letter)
 Anderson PC. Free spider identification. 1987;16:630 (Letter)
 — (see Dale and Anderson). 1987;16:205-8
 Anderson RR (see Gange and Anderson). 1987;16:401-2 (Letter)
 Anhalt GJ (see Mutasim et al). 1987;16:75-82
 Appell ML, Sherertz EF. A kindred with alopecia, keratosis pilaris, cataracts, and psoriasis. 1987;16:89-95
 Aram H. Malignant pyoderma. 1987;16:392 (Letter)
 Araujo OE (see Doering et al). 1987;16:1068-70 (Commentary)
 Arnold HL Jr. Skin tags and colonic polyps. 1987;16:402-3 (Letter)
 Arundell FD. Campaigns for the detection and prevention of melanoma and skin cancers. 1987;16:406-7 (Editorial)
 Ashworth J, Cox NH, Pickard WR, Mackay C, Roberts DT. Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage. 1987;16:394-5 (Letter)
 Ayres S Jr. Extrafacial rosacea is rare but does exist. 1987;16:391-2 (Letter)

B

- Badame AJ (see Ross et al). 1987;16:1189-92
 Baden HP (see Kubilus et al). 1987;16:648-52 (Symposium)
 Baden TJ, Woodley DT, Wheeler CE Jr. Multiple clear cell acanthomas. 1987;16:1075-8
 Badia N (see Rocamora et al). 1987;16:1163-8
 Bailin P (see Lowe et al). 1987;16:994-8
 Baker GF (see Stough et al). 1987;16:1051-2 (Letter)
 Baker H (see Phillips et al). 1987;16:373-5 (Adverse reactions)
 Bamford JT. A falling out following minoxidil: telogen effluvium. 1987;16:144-5 (Letter)
 Bancila EA (see Ohta et al). 1987;16:96-107
 Banik R (see Lubach and Banik). 1987;16:402 (Letter)

January, part 1, pp. 1-166; January, part 2, pp. 167-266; February, part 1, pp. 267-430; February, part 2, pp. 431-484; March, part 1, pp. 485-646; March, part 2, pp. 647-750; April, pp. 751-906; May, part 1, pp. 907-1074; May, part 2, pp. 1075-1128; June, pp. 1129-1320.

- Barker JNWN, MacDonald DM. Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis. 1987;16:1175-9
 Barnhill RL, Wolf JE Jr. Angiogenesis and the skin. 1987;16:1226-42 (Clin. rev.)
 Barona MI (see Falabella et al). 1987;16:35-44
 Bayard W (see Hunziker and Bayard). 1987;16:625 (Letter)
 Beitler MM. Skin tags and colonic polyps. 1987;16:403 (Letter reply)
 Benson PM, Roth RR, Hicks CB, Brisker J. Nodular subcutaneous abscesses caused by *Candida tropicalis*. 1987;16:623-4 (Letter)
 Berbis P, Privat Y. Lupus miliaris disseminatus faciei: efficacy of isotretinoin. 1987;16:1271-2 (Letter)
 Berger RS, Perez-Figaredo RA, Spielvogel RL. Leishmaniasis: the touch preparation as a rapid means of diagnosis. 1987;16:1096-1105
 Berger TG (see Bruce and Berger). 1987;16:1087-90
 — (see Deffer et al). 1987;16:1084-7
 Bergstresser PR (see Cruz et al). 1987;16:413-9 (Special article)
 — (see Roberts et al). 1987;16:301-4
 Bernard P, Venot J, Constant F, Bonnetblanc JM. Blood eosinophilia as a severity marker for bullous pemphigoid. 1987;16:879-81 (Letter)
 Bettoli V, Tosti A, Varotti C. Nummular eczema during isotretinoin treatment. 1987;16:617
 Beutner EH, Chorzelski TP, Kumar V. Two types of linear IgA bullous dermatosis. 1987;16:390-1 (Letter)
 Bickers DR (see Don et al). 1987;16:629-30 (Letter)
 Bielsa I, Herrero C, Font J, Mascaro JM. Lupus erythematosus and toxic epidermal necrolysis. 1987;16:1265-7 (Letter)
 Birchall N, Langdon R, Cuono C, McGuire J. Toxic epidermal necrolysis: an approach to management using cryopreserved allograft skin. 1987;16:368-72
 Bombardier C (see Hanna et al). 1987;16:546-53
 Bonnetblanc JM (see Bernard et al). 1987;16:879-81 (Letter)
 Boughton RS, Spencer SK. Electrosurgical fundamentals. 1987;16:862-7 (Derm. surg.)
 Bradley RR (see Friedman et al). 1987;16:341-5
 Braverman IM, Klein S, Grant A. Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation. 1987;16:61-74
 —, Yager NB, Chen M, Cadman EC, Hait WN, Maynard T. Combined total body electron beam irradiation and chemotherapy for mycosis fungoides. 1987;16:45-60
 Brenner S. Familial pemphigus vulgaris. 1987;16:1270 (Letter)
 Brieva JA (see Sendagorta et al). 1987;16:135-6 (Letter)
 Brigham P (see Uno et al). 1987;16:657-68 (Symposium)
 Brisker J (see Benson et al). 1987;16:623-4 (Letter)
 Brodthagen H (see Veien et al). 1987;16:534-40
 Bronow R. Physicians who care. 1987;16:643-7 (Commentary)
 Brown C (see James et al). 1987;16:220-6
 Bruce DR, Berger TG. PUVA-induced pigmented macules: a case involving palmoplantar skin. 1987;16:1087-90

- Bruce S (see Wasserteil et al). 1987;16:1090-6
 Burgdorf WHC (see Monroe et al). 1987;16:481-4
 Burket JM. Alopecia associated with underlying nerve sheath myxoma. 1987;16:209-11
 Burnmeister V (see Shelley et al). 1987;16:124-8
 — (see Shelley et al). 1987;16:211-7
 — (see Shelley et al). 1987;16:354-61
 Burrows D (see Cunningham et al). 1987;16:117-23
 Burton JL (see Weston and Burton). 1987;16:1117-21
 Butany J (see Waitzer et al). 1987;16:779-87
 Butler DF (see Friedman and Butler). 1987;16:310-4
 Buzzanga JB (see Chartier et al). 1987;16:201-5

C

- Cadman EC (see Braverman et al). 1987;16:45-60
 Cage GW. Antibacterial therapy continued. 1987;16:631-2 (Letter)
 Camarasa JG, Moreno A. Juvenile hyaline fibromatosis. 1987;16:881-3 (Letter)
 Camisa C. Unilateral nevoid basal cell carcinoma syndrome. 1987;16:1270-1 (Letter)
 — (see Meirson et al). 1987;16:141-2 (Letter)
 Capps A (see Uno et al). 1987;16:657-68 (Symposium)
 Carrillo R (see Rocamora et al). 1987;16:1163-8
 Carter DM. Announcement of the National Epidermolysis Bullosa Registry. 1987;16:1058 (Letter)
 Carter JM (see James et al). 1987;16:584-90
 Cascinelli N, Ferrario M, Tonelli T, Leo E. A possible new tool for clinical diagnosis of melanoma: the computer. 1987;16:361-7
 Castells A (see Jorda et al). 1987;16:619-20 (Letter)
 Chakrabarti SG (see Halder et al). 1987;16:948-54
 Chalker DK (see Pearson et al). 1987;16:190-5
 Champion MC (see Finkelstein et al). 1987;16:540-5
 Charley MR (see Cruz et al). 1987;16:413-9 (Special article)
 Chartier S, Buzzanga JB, Paquin F. Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis. 1987;16:201-5
 Chen M (see Braverman et al). 1987;16:45-60
 Chobanian SJ. Skin tags and colonic polyps—a gastroenterologist's perspective. 1987;16:407-9 (Editorial)
 Chorzelski TP (see Beutner et al). 1987;16:390-1 (Letter)
 Christophers E (see Henseler et al). 1987;16:108-16
 Chuang TY. Condylomata acuminata (genital warts): an epidemiologic view. 1987;16:376-84 (Clin. rev.)
 Clark WH Jr (see Greene et al). 1987;16:792-7
 Cohen KA (see McCoy et al). 1987;16:315-8
 Coldiron BM (see Cruz et al). 1987;16:473-80
 Collins A (see Kossard et al). 1987;16:1007-14
 Connolly SM, Sander HM. Treatment of epidermolysis bullosa acquisita with cyclosporine. 1987;16:890 (Letter)
 Connolly VPL (see Hoag et al). 1987;16:1264-5 (Letter)
 Constant F (see Bernard et al). 1987;16:879-81 (Letter)
 Conte ET (see Olsen et al). 1987;16:637-42 (Special article)
 Contreras F (see Fonseca and Contreras). 1987;16:139-40 (Letter)
 Cooper KD (see James et al). 1987;16:220-6
 Corominas JM (see Marti et al). 1987;16:1106-10
 Coskey RJ. Dermatologic therapy: December 1985 to December 1986. 1987;16:1219-25 (Therapy)
 Cott RE, Wood MG, Johnson BL Jr. Use of curettage and shave excision in office practice. 1987;16:1243-51 (Derm. surg.)
 Cowan CA (see Halder et al). 1987;16:948-54
 Cox NH (see Ashworth et al). 1987;16:394-5 (Letter)

- Crovato F (see Rebora and Crovato). 1987;16:940-7
 Cruz PD Jr, Charley MR, Bergstresser PR. Basic science conferences in residency training: a national survey. 1987;16:413-9 (Special article)
 —, Coldiron BM, Sontheimer RD. Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma. 1987;16:473-80
 Cryan DM. Alternative therapy in warts. 1987;16:1261 (Letter)
 Cunliffe WJ. Evolution of a strategy for the treatment of acne. 1987;16:591-9 (Therapy)
 Cunningham SR, Walsh M, Matthews R, Fulton R, Burrows D. Kyrle's disease. 1987;16:117-23
 Cuono C (see Birchall et al). 1987;16:368-72

D

- Dabe IB (see Horan et al). 1987;16:458-62
 Dale SE, Anderson PC. Catheter infections during continuous peritoneal dialysis. 1987;16:205-8
 — (see Ross et al). 1987;16:1189-92
 David M, Shanon A, Hazaz B, Sandbank M. Diffuse, progressive hyperpigmentation: an unusual skin manifestation of mycosis fungoides. 1987;16:257-60
 Davis BM (see Purcell et al). 1987;16:172-7
 Deffer TA, Berger TG, Gelinas-Sorell D. Sneddon's syndrome. 1987;16:1084-7
 DeLong ER (see Olsen et al). 1987;16:393-4 (Letter reply)
 — (see Olsen et al). 1987;16:688-95 (Symposium)
 — (see Pestana et al). 1987;16:971-6
 Deneau DG (see Wood et al). 1987;16:559-70
 De Villeville RL. Androgenetic alopecia treated with topical minoxidil. 1987;16:669-72 (Symposium)
 Diaz LA (see Mutasim et al). 1987;16:75-82
 Dicken CH. Isotretinoin treatment of pityriasis rubra pilaris. 1987;16:297-301
 —. Malignant pyoderma. 1987;16:392 (Letter reply)
 Dijkstra JWE (see Jaworsky et al). 1987;16:769-71
 Dobson RL. Earrings for nickel-sensitive women. 1987;16:631 (Letter)
 —. Is cost-effective medicine possible? 1987;16:405-6 (Editorial)
 — (see Akins et al). 1987;16:828-32
 Doering PL, Araujo OE, Flowers FP. Generic equivalence of dermatologic products. 1987;16:1068-70 (Commentary)
 Domke HL (see Hoag et al). 1987;16:1264-5 (Letter)
 Don PC, Kahn TA, Bickers DR. Chloroquine-induced neutropenia in a patient with dermatomyositis. 1987;16:629-30 (Letter)
 Douard D (see Taieb et al). 1987;16:624-5 (Letter)
 Doubleday CW. Who is Nikolsky and what does his sign mean? 1987;16:1054-5 (Letter)
 Downar E (see Waitzer et al). 1987;16:779-87
 Dufresne RG Jr, Malcomb AW, Salhany KE, King LE Jr. Histiocytosis X mimicking the follicular occlusion syndrome: response to local therapy. 1987;16:385-6 (Letter)
 Duncan SH (see Rietschel and Duncan). 1987;16:677-84 (Symposium)
 Dupre A, Viraben R. Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia. 1987;16:142-4 (Letter)

E

- Eaglstien WH (see Falanga and Eaglstien). 1987;16:879 (Letter reply)
 Eckel R (see Garvey et al). 1987;16:183-7
 Ehmann CW (see Wang et al). 1987;16:812-21

- El-Benhawi MO (see El-Tonsy et al). 1987;16:891-3 (Letter)
— (see El-Tonsy et al). 1987;16:893-4 (Letter)
Elder DE (see Greene et al). 1987;16:792-7
El-Hassan AM (see Kubba et al). 1987;16:1183-9
Ellis CN, Voorhees JJ. Etreinate therapy. 1987;16:267-91 (CME article)
— (see Silverman et al). 1987;16:1027-39 (Adverse reactions)
El-On J (see Weinrauch et al). 1987;16:1268-70 (Letter)
Elpern DJ (see Funaki and Elpern). 1987;16:883-4 (Letter)
El-Tonsy MH, El-Benhawi MO, Mehregan AH. Confluent and reticulated papillomatosis. 1987;16:893-4 (Letter)
—, —, —. Epidermolysis bullosa dystrophica et albopapuloidea (Pasini). 1987;16:891-3 (Letter)
Enterline JA (see Halder et al). 1987;16:948-54
Epstein E. Effect of time on male pattern baldness. 1987;16:392-3 (Letter)
Ermacorã E. Dermatitis herpetiformis in children. 1987;16:1051 (Letter reply)
Escobar C (see Falabella et al). 1987;16:35-44
Estrach R (see Marti et al). 1987;16:1106-10
Everett MA (see Osburn et al). 1987;16:788-92

F

- Fabbri P (see Lotti et al). 1987;16:877-8 (Letter)
Falabella R, Escobar C, Giraldo N, Rovetto P, Gil J, Barona MI, Acosta F, Alzate A. On the pathogenesis of idiopathic guttate hypomelanosis. 1987;16:35-44
Falanga V, Eaglstein WH. The pathogenesis of venous ulcers. 1987;16:879 (Letter reply)
Feesser TA (see Olsen et al). 1987;16:637-42 (Special article)
Feingold DS. Antibacterial therapy continued. 1987;16:632 (Letter reply)
—, Wagner RF Jr. Antibacterial therapy. 1987;16:631 (Letter reply)
Feinstein A, Kahana M. Pityriasis rosea of Gibert. 1987;16:1260 (Letter)
Ferrario M (see Cascinelli et al). 1987;16:361-7
Fiedler-Weiss VC. Potential mechanisms of minoxidil-induced hair growth in alopecia areata. 1987;16:653-6 (Symposium)
—, Topical minoxidil solution (1% and 5%) in the treatment of alopecia areata. 1987;16:745-8 (Symposium)
Field SI. Melanoma/skin cancer screening in Michigan. 1987;16:578-83
Fields JP (see Kwee et al). 1987;16:188-90
Finkelstein H, Champion MC, Adam JE. Cutaneous hypersensitivity to vitamin K₁ injection. 1987;16:540-5
Fischer G, Jaworski R. Granuloma formation in herpes zoster scars. 1987;16:1261-3 (Letter)
Fisher AA. Earrings for nickel-sensitive women. 1987;16:631 (Letter reply)
—, Topical erythromycin preparations. 1987;16:620 (Letter)
—, Adams RM. Benzocaine and bacitracin as sensitizers. 1987;16:1056-7 (Letter reply)
Fisher BK (see Lozinski et al). 1987;16:448-51
Fitzpatrick PJ (see Lozinski et al). 1987;16:448-51
Fixler ZC. Melanoma/skin cancer screening program in a private office setting. 1987;16:634-5 (Letter)
Flowers FP (see Doering et al). 1987;16:1068-70 (Commentary)
— (see Shands et al). 1987;16:931-4
Foerster HA. Retired doctors club. 1987;16:401 (Letter)

- Fonseca E, Contreras F. Cutaneous mucinosis in the toxic oil syndrome. 1987;16:139-40 (Letter)
Font J (see Bielsa et al). 1987;16:1265-7 (Letter)
Forbes DR (see Green et al). 1987;16:984-8
Fort SL (see Horan et al). 1987;16:458-62
Fox JN, Klapman MH, Rowe L. Lupus profundus in children: treatment with hydroxychloroquine. 1987;16:839-44
Franzblau MJ. Coalitions are good for optimal dermatologic care. 1987;16:868 (Editorial)
Fraser MC (see Greene et al). 1987;16:792-7
Fredenberg MF, Malkinson FD. Sulfone therapy in the treatment of leukocytoclastic vasculitis. 1987;16:772-8
Frey H (see Weber and Frey). 1987;16:388-9 (Letter)
Fried SZ, Lynfield YL. Unilateral facial telangiectasia macularis eruptiva perstans. 1987;16:250-2
Friedman SJ. *Pityrosporum* folliculitis: treatment with isotretinoin. 1987;16:632-3 (Letter)
—, Pustular psoriasis associated with hydroxychloroquine. 1987;16:1256-7 (Letter)
—, Butler DF. Syringoma presenting as milia. 1987;16:310-4
—, Martin TW. Xanthoma striatum palmare associated with multiple myeloma. 1987;16:1272-4 (Letter)
—, Venencie PY, Bradley RR, Winkelmann RK. Familial anetoderma. 1987;16:341-5
—, Winkelmann RK. Familial granuloma annulare. 1987;16:600-5 (Clin. rev.)
Friesen D (see Hanna et al). 1987;16:546-53
Frödin T (see Anderson et al). 1987;16:389-90 (Letter)
From L (see Waitzer et al). 1987;16:779-87
Fulton R (see Cunningham et al). 1987;16:117-23
Funaki B, Elpern DJ. Herpes zoster incidence in younger age groups. 1987;16:883-4 (Letter)
Fusaro RM, Lynch HT. Melanoma and the atypical nevus. 1987;16:884-5 (Letter)

G

- Galan A (see Jorda et al). 1987;16:619-20 (Letter)
Galbraith GMP, Thiers BH, Jensen J, Hoehler F. A randomized double-blind study of inosiplex (Isoprinosine) therapy in patients with alopecia totalis. 1987;16:977-83
Gange RW, Anderson RR. Topical (bathwater) PUVA therapy. 1987;16:401-2 (Letter)
— (see Kaidbey and Gange). 1987;16:346-53
Garvey WT, Grundy SM, Eckel R. Xanthogranulomatosis in an adult: lipid analysis of xanthomas and plasma. 1987;16:183-7
Gehle D (see Horan et al). 1987;16:458-62
Gelinas-Sorell D (see Deffer et al). 1987;16:1084-7
Gerstmeier M (see Ruzicka et al). 1987;16:1202-8
Gil J (see Falabella et al). 1987;16:35-44
Giovannini A (see Tosti et al). 1987;16:1259-60 (Letter)
Giraldo N (see Falabella et al). 1987;16:35-44
Giroux JM (see Richard and Giroux). 1987;16:178-83
Gladman D (see Hanna et al). 1987;16:546-53
Gleich GJ (see Peters et al). 1987;16:513-7
Glickman FS. "A ring around the rosie" (the rash that was). 1987;16:1282-8 (Commentary)
—, Leprosy and psoriasis. 1987;16:621-2 (Letter reply)
Glover R, Young L, Goltz RW. Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis. 1987;16:396-9 (Letter)

- Gold JA, Watters AK, O'Brien E. Coumadin versus heparin necrosis. 1987;16:148-9 (Letter)
- Goldberg NS (see Picascia et al). 1987;16:574-7
- Golden RL. Sir William Osler and the anatomical tubercle. 1987;16:1071-4
- Goldman SJ (see Katz et al). 1987;16:711-7 (Symposium)
- Goltz RW (see Glover et al). 1987;16:396-9 (Letter)
- Goodman PH. Commercial air travel and medical kits. 1987;16:634 (Letter)
- Gormley DE. Interferon study lacked controls. 1987;16:885 (Letter)
- Gould EW (see Rico et al). 1987;16:1209-18
- (see Rae et al). 1987;16:235-7
- Granier F, Kanitakis J, Hermier C, Zhu YY, Thivolet J. Localized cutaneous cryptococcosis successfully treated with ketoconazole. 1987;16:243-9
- Grant A (see Braverman et al). 1987;16:61-74
- Greaves MW. Pharmacology and significance of nonsteroidal anti-inflammatory drugs in the treatment of skin diseases. 1987;16:751-64 (CME article)
- (see Peters et al). 1987;16:513-7
- Green PG, Kennedy CTC, Forbes DR. Anthralin stability in various vehicles. 1987;16:984-8
- Greene MH, Tucker MA, Clark WH Jr, Kraemer KH, Elder DE, Fraser MC. Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma. 1987;16:792-7
- Greene RA, Scher RK. Nail changes associated with diabetes mellitus. 1987;16:1015-21 (Clin. rev.)
- Greenway HT. Interferon study lacked controls. 1987;16:886 (Letter reply)
- Greer DL. Topical treatment for moccasin-type tinea pedis. 1987;16:554-8
- , Gutierrez MM. Tinea pedis caused by *Hendersonula toruloides*. 1987;16:1111-5
- Greer KE (see Nguyen and Greer). 1987;16:622 (Letter reply)
- Gretzula J, Penneys NS. Complex viral and fungal skin lesions of patients with acquired immunodeficiency syndrome. 1987;16:1151-4
- Grimes PE (see Halder et al). 1987;16:948-54
- Grundy SM (see Garvey et al). 1987;16:183-7
- Gudiol F (see Podzamecz et al). 1987;16:386-7 (Letter)
- Guenther L (see Shum and Guenther). 1987;16:617-9 (Letter)
- Guin JD (see Stough et al). 1987;16:1051-2 (Letter)
- Gutierrez MM (see Greer and Gutierrez). 1987;16:1111-5
- H**
- Haber RM, Hanna W. Epidermolysis bullosa progressiva. 1987;16:195-200
- Haberfeld G (see Heng and Habelfeld). 1987;16:462-8
- Hagenbeek A (see van Joost et al). 1987;16:138-9 (Letter)
- Hait WN (see Braverman et al). 1987;16:45-60
- Halder RM, Grimes PE, Cowan CA, Enterline JA, Chakrabarti SG, Kenney JA Jr. Childhood vitiligo. 1987;16:948-54
- Halkier-Sorensen L, Laurberg G, Andersen J. Bone changes in children on long-term treatment with etretinate. 1987;16:999-1006
- Hall RP. The pathogenesis of dermatitis herpetiformis: recent advances. 1987;16:1129-44 (CME article)
- Hamilton TA (see McCoy et al). 1987;16:315-8
- Hanke CW, Temofeev RK, Slama SL. *Mycobacterium kansasii* infection with multiple cutaneous lesions. 1987;16:1122-8
- Hanna A (see Hanna et al). 1987;16:546-53
- Hanna W, Friesen D, Bombardier C, Gladman D, Hanna A. Pathologic features of diabetic thick skin. 1987;16:546-53
- (see Haber and Hanna). 1987;16:195-200
- (see Waitzer et al). 1987;16:779-87
- Happle R. Lethal genes surviving by mosaicism: a possible explanation for sporadic birth defects involving the skin. 1987;16:899-906 (Commentary)
- Harrist TJ (see Lederman et al). 1987;16:331-5
- Hay RJ (see Logan et al). 1987;16:136-7 (Letter)
- Haynie L (see Stough et al). 1987;16:1051-2 (Letter)
- Hazaz B (see David et al). 1987;16:257-60
- Helander I, Jansen CT. Localized dermatitis herpetiformis. 1987;16:1052-3 (Letter)
- Hendricks WM. Dermatofibroma occurring in a smallpox vaccination scar. 1987;16:146-7 (Letter)
- Heng MCY, Habelfeld G. Thrombotic phenomena associated with intravenous cocaine. 1987;16:462-8
- Henseler T, Christophers E, Hönigsmann H, Wolff K. Skin tumors in the European PUVA Study: eight-year follow-up of 1,643 patients treated with PUVA for psoriasis. 1987;16:108-16
- Herbst VP, Kauh YC, Luscombe HA. Connective tissue nevus masquerading as a localized linear epidermal nevus. 1987;16:264-6
- Hermier C (see Granier et al). 1987;16:243-9
- Herrero C (see Bielsa et al). 1987;16:1265-7 (Letter)
- Hicks CB (see Benson et al). 1987;16:623-4 (Letter)
- Hien NT (see Katz et al). 1987;16:711-7 (Symposium)
- (see Katz et al). 1987;16:804-11
- Hill HM (see Shands et al). 1987;16:931-4
- Hoag GN, Connolly VPL, Domke HL. Marked fall in high-density lipoprotein following isotretinoin therapy: report of a case in a weight lifter on anabolic steroids. 1987;16:1264-5 (Letter)
- Hoehler F (see Galbraith et al). 1987;16:977-83
- Holdiness MR. A case of Leser-Trélat sign. 1987;16:147-8 (Letter)
- Hönigsmann H (see Henseler et al). 1987;16:108-16
- Hood AF (see Jerdan et al). 1987;16:444-7
- (see Shapiro et al). 1987;16:1115-7
- (see Triana et al). 1987;16:888-9 (Letter)
- Horan MP, Redmond J, Gehle D, Dabe IB, Fort SL. Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia. 1987;16:458-62
- Huntley AC, Tanabe JL. Toxic shock syndrome as a complication of dermatologic surgery. 1987;16:227-9
- Hunziker T, Bayard W. Carbon dioxide laser in the treatment of porokeratosis. 1987;16:625 (Letter)
- I**
- Ibe MJ (see Rae et al). 1987;16:235-7
- Ingram GJ, Scher RK, Lally EV. Reflex sympathetic dystrophy following nail biopsy. 1987;16:253-6
- Inoue K (see Iwatsuki et al). 1987;16:83-8
- Iwatsuki K, Yamada M, Takigawa M, Inoue K, Matsumoto K. Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates. 1987;16:83-8
- J**
- Jackson R (see Pratt and Jackson). 1987;16:964-70
- James WD, Carter JM, Rodman OG. Pigmentary demarcation lines: a population survey. 1987;16:584-90
- , Cooper KD, Todd RF III, Brown C, Lewis D. Inflammatory acquired oral hyperpigmentation: association with melanophages

- demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes. 1987;16:220-6
— (see Uboguy-Rainey et al). 1987;16:452-7
Jansen CT (see Helander and Jansen). 1987;16:1052-3 (Letter)
— (see Paul et al). 1987;16:1179-82
Jaworski R (see Fischer and Jaworski). 1987;16:1261-3 (Letter)
Jaworsky C, Ratz JL, Dijkstra JWE. Efficacy of tan accelerators. 1987;16:769-71
Jensen J (see Galbraith et al). 1987;16:977-83
Jerdan MS, Shapiro RS, Smith NB, Virshup DM, Hood AF. Cutaneous manifestations of *Corynebacterium* group JK sepsis. 1987;16:444-7
Johnson BL Jr (see Cott et al). 1987;16:1243-51 (Derm. surg.)
Jondreau L (see Shupack et al). 1987;16:673-6 (Symposium)
Jones DH (see Phillips et al). 1987;16:373-5 (Adverse reactions)
Jorda E, Verdeger JM, Moragon M, Galan A, Sanchez MD, Castells A. Desmoplastic melanoma of the penis. 1987;16:619-20 (Letter)

K

- Kahana M (see Feinstein and Kahana). 1987;16:1260 (Letter)
Kahn TA (see Don et al). 1987;16:629-30 (Letter)
Kaidbey K, Gange RW. Comparison of methods for assessing photoprotection against ultraviolet A in vivo. 1987;16:346-53
Kailasam V, Mathews KP. Controlled clinical assessment of astemizole in the treatment of chronic idiopathic urticaria and angioedema. 1987;16:797-804
Kanitakis J (see Granier et al). 1987;16:243-9
Kaplan MH, Sadick N, McNutt NS, Meltzer M, Sarngadharan MG, Pahwa S. Dermatologic findings and manifestations of acquired immunodeficiency syndrome (AIDS). 1987;16:485-506 (CME article)
Kasper CS, Sharp MD. Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain. 1987;16:326-31
Kassimir JJ. Use of topical minoxidil as a possible adjunct to hair transplant surgery. 1987;16:685-7 (Symposium)
— (see Shupack et al). 1987;16:673-6 (Symposium)
Katz HI, Hien NT, Prawer SE, Goldman SJ. Long-term efficacy of topical minoxidil in male pattern baldness. 1987;16:711-7 (Symposium)
—, —, —. Westbaum LI, Mooney JJ, Samson CR. Super-potent topical steroid treatment of psoriasis vulgaris—clinical efficacy and adrenal function. 1987;16:804-11
Katz M (see Weinrauch et al). 1987;16:1268-70 (Letter)
Kaufman JP (see Kaufman and Kaufman). 1987;16:889-90 (Letter)
Kaufman WH, Kaufman JP. Hyperkeratoses of forearms and thighs associated with chronic lung disease. 1987;16:889-90 (Letter)
Kauh YC (see Herbst et al). 1987;16:264-6
Kennedy CTC (see Green et al). 1987;16:984-8
Kenney JA Jr (see Halder et al). 1987;16:948-54
Kephart GM (see Peters et al). 1987;16:513-7
Kim HC (see Ohta et al). 1987;16:96-107
King LE Jr (see Dufresne et al). 1987;16:385-6 (Letter)
— (see Kwee et al). 1987;16:188-90
Kingston TP, Lowe NJ, Sofen HL, Weingarten DP. Actinic reticuloid in a black man: successful therapy with azathioprine. 1987;16:1079-83
Kitces EN (see Patterson et al). 1987;16:238-42
Klapman MH (see Fox et al). 1987;16:839-44
Klein S (see Braverman et al). 1987;16:61-74

- Koch SE, LeBoit PE, Odom RB. Laugier-Hunziker syndrome. 1987;16:431-4
Kohchiyama A, Oka D, Ueki H. Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma. 1987;16:833-8
Kopf AW, Maize JC. Cutaneous malignant melanoma. 1987;16:610-3 (Periodic synopsis)
Korman N. Bullous pemphigoid. 1987;16:907-24 (CME article)
Kory WP (see Rico et al). 1987;16:1209-18
Kosnai I (see Reunala et al). 1987;16:1050 (Letter)
Kossard S, Collins A, McCrossin I. Necrotizing lymphocytic folliculitis: the early lesion of acne necrotica (varioliiformis). 1987;16:1007-14
Kraemer KH (see Greene et al). 1987;16:792-7
Kreindler TG. Topical minoxidil in early androgenetic alopecia. 1987;16:718-24 (Symposium)
Kubba R, Al-Gindan Y, El-Hassan AM, Omer AHS. Clinical diagnosis of cutaneous leishmaniasis (oriental sore). 1987;16:1183-9
Kubilus J, Kvedar JC, Baden HP. Effect of minoxidil on pre-and postconfluent keratinocytes. 1987;16:648-52 (Symposium)
Kumar V (see Beutner et al). 1987;16:390-1 (Letter)
Kvedar JC (see Kubilus et al). 1987;16:648-52 (Symposium)
Kwee D, Fields JP, King LE Jr. Subcutaneous Whipple's disease. 1987;16:188-90

L

- Lally EV (see Ingram et al). 1987;16:253-6
Lambers JCCA (see van der Loos et al). 1987;16:468-72
Lambrecht ER (see van der Loos et al). 1987;16:468-72
Lang PG Jr, Tapert MJ. Severe ocular involvement in a patient with epidermolysis bullosa acquisita. 1987;16:439-43
Langdon R (see Birchall et al). 1987;16:368-72
Larson PO. Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery). 1987;16:1040-4 (Derm. surg.)
Laurberg G (see Halkier-Sorensen et al). 1987;16:999-1006
Lazo-de-la-Vega SA, Pezzarossi HE, Ponce-de-León S, Sifuentes J, Ruiz-Palacios GM. Cutaneous manifestation of disseminated infection by *Mycobacterium fortuitum* biovariant third group. 1987;16:1058-60 (Letter)
LeBoit PE (see Koch et al). 1987;16:431-4
Lebwohl M (see Lemlich et al). 1987;16:319-25
— (see Norwood-Galloway et al). 1987;16:435-9
Lederman GS (see Lederman et al). 1987;16:331-5
Lederman JS, Sober AJ, Harriest TJ, Lederman GS. Lymphomatoid papulosis following Hodgkin's disease. 1987;16:331-5
Ledo A (see Rocamora et al). 1987;16:1163-8
— (see Sendagorta et al). 1987;16:135-6 (Letter)
Lemlich G, Schwam L, Lebwohl M. Kaposi's sarcoma and acquired immunodeficiency syndrome: postmortem findings in twenty-four cases. 1987;16:319-25
Leo E (see Cascinelli et al). 1987;16:361-7
Leonforte JF. Deep recurrent basal cell epithelioma. 1987;16:1257-8 (Letter)
Levy H (see McLean et al). 1987;16:336-40
Lewis D (see James et al). 1987;16:220-6
Leyden JE Jr (see Shalita et al). 1987;16:410-2 (Periodic synopsis)
Leyden JJ. Benzocaine and bacitracin as sensitizers. 1987;16:1055 (Letter)
—, Shalita AR, Saatjian GD, Sefton J. Erythromycin 2% gel in comparison with clindamycin phosphate 1% solution in acne vulgaris. 1987;16:822-7

- Light MJ (see Tousignant et al). 1987;16:167-71
- Logan RA, Hay RJ, Whitefield M. Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation. 1987;16:136-7 (Letter)
- López-Malpica F (see Martínez et al). 1987;16:31-4
- Lotti T, Fabbri P, Panconesi E. The pathogenesis of venous ulcers. 1987;16:877-8 (Letter)
- Lowe N (see Wang et al). 1987;16:812-21
- Lowe NJ, Urbach F, Bailin P, Weingarten DP. Comparative efficacy of two dosage forms of oral methoxsalen in psoralens plus ultraviolet A therapy of psoriasis. 1987;16:994-8
- , Weingarten D. Topical (bathwater) PUVA therapy. 1987;16:402 (Letter reply)
- (see Kingston et al). 1987;16:1079-83
- Lozinski AZ, Fisher BK, Walter JB, Fitzpatrick PJ. Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli. 1987;16:448-51
- Lubach D, Banik R. Skin tags and colonic polyps. 1987;16:402 (Letter)
- Lue YA (see McLean et al). 1987;16:336-40
- Lupton GP (see Ubogay-Rainey et al). 1987;16:452-7
- Luscombe HA (see Herbst et al). 1987;16:264-6
- Lyell A. Leprosy and psoriasis. 1987;16:620-1 (Letter)
- Lynch HT (see Fusaro and Lynch). 1987;16:884-5 (Letter)
- Lynfield YL (see Fried and Lynfield). 1987;16:250-2
- M**
- MacDonald DM (see Barker and MacDonald). 1987;16:1175-9
- (see Tidman et al). 1987;16:935-40
- Mackay C (see Ashworth et al). 1987;16:394-5 (Letter)
- Maize JC (see Kopf and Maize). 1987;16:610-3 (Periodic synopsis)
- Malcomb AW (see Dufresne et al). 1987;16:385-6 (Letter)
- Maleville J (see Taieb et al). 1987;16:624-5 (Letter)
- Malkinson FD (see Fredenberg and Malkinson). 1987;16:772-8
- Marcus L. Melanomas arising in married couples. 1987;16:400-1 (Letter)
- Marks JG Jr, Westheim A, Snipes W. PA Patch—a new patch testing device. 1987;16:961-3
- Marks VJ (see Veglia and Marks). 1987;16:260-3
- Marti RM, Estrach R, Palou J, Corominas JM, Mascaro JM. Primary cutaneous lymphoplasmacytic lymphoma. 1987;16:1106-10
- Martin TW (see Friedman and Martin). 1987;16:1272-4 (Letter)
- Martínez MI, Sánchez JL, López-Malpica F. Peculiar papular skin lesions occurring in hepatitis B carriers. 1987;16:31-4
- Mascaro JM (see Bielsa et al). 1987;16:1265-7 (Letter)
- (see Marti et al). 1987;16:1106-10
- Mastbaum LI (see Katz et al). 1987;16:804-11
- Matarredona J (see Sendagorta et al). 1987;16:135-6 (Letter)
- Mathews KP (see Kailasam and Mathews). 1987;16:797-804
- Matsumoto K (see Iwatsuki et al). 1987;16:83-8
- Matsuoka LY (see Moy et al). 1987;16:1193-1201
- Matthews R (see Cunningham et al). 1987;16:117-23
- Maynard T (see Braverman et al). 1987;16:45-60
- McCoy JP Jr, Schade W, Siegle RJ, Vanderveen EE, Zackary CB, Waldinger TP, Swanson NA. Immune responses to bovine collagen implants. 1987;16:955-60
- , Waldinger TP, Cohen KA, Schade W, Siegle R, Hamilton TA, Swanson NA. Connective tissue diseases and bovine collagen implants. 1987;16:315-8
- McCrossin I (see Kossard et al). 1987;16:1007-14
- McGuire J (see Birchall et al). 1987;16:368-72
- McLean T, Levy H, Lue YA. Ecology of dermatophyte infections in South Bronx, New York, 1969-1981. 1987;16:336-40
- McNutt NS (see Kaplan et al). 1987;16:485-506 (CME article)
- Mehregan AH. Etretinate for keratin disorders and isotretinoin for acne and not the other way around. 1987;16:622-3 (Letter reply)
- (see El-Tonsy et al). 1987;16:891-3 (Letter)
- (see El-Tonsy et al). 1987;16:893-4 (Letter)
- Meijer CJLM (see Willemze et al). 1987;16:518-26
- Meirson D, Camisa C, Siegle R, Parks A. Pyoderma gangrenosum with simultaneous contiguous arthritis. 1987;16:141-2 (Letter)
- Meisenheimer JL (see Akins et al). 1987;16:828-32
- Meltzer M (see Kaplan et al). 1987;16:485-506 (CME article)
- Menkes AW (see Thornfeldt and Menkes). 1987;16:305-10
- Mikesell JF (see Tomecki and Mikesell). 1987;16:890-1 (Letter)
- Mitrane M (see Ohta et al). 1987;16:96-107
- Mohs FE. The technic of curettage surgery. 1987;16:886 (Letter)
- Moncada B. Etretinate for keratin disorders and isotretinoin for acne and not the other way around. 1987;16:622 (Letter)
- Monroe AB, Burgdorf WHC, Sheward S. Platelike cutaneous osteoma. 1987;16:481-4
- Mooney JJ (see Katz et al). 1987;16:804-11
- Mora RG. Unilateral nevoid basal cell carcinoma syndrome. 1987;16:1271 (Letter reply)
- Moragon M (see Jorda et al). 1987;16:619-20 (Letter)
- Moreno A (see Camarasa and Moreno). 1987;16:881-3 (Letter)
- Moy LS, Moy RL, Matsuoka LY, Ohta A, Uitto J. Lipoid proteinosis: ultrastructural and biochemical studies. 1987;16:1193-1201
- Moy RL (see Moy et al). 1987;16:1193-1201
- Murray JC (see Pestana et al). 1987;16:971-6
- Mutasim DF, Anhalt GJ, Diaz LA, Patel HP. Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining. 1987;16:75-82
- N**
- Neafie RC (see Patterson et al). 1987;16:238-42
- Nguyen T, Greer KE. Etretinate for keratin disorders and isotretinoin for acne and not the other way around. 1987;16:622 (Letter reply)
- Norwood-Galloway A, Lebwohl M, Phelps RG, Raucher H. Subcutaneous fat necrosis of the newborn with hypercalcemia. 1987;16:435-9
- O**
- O'Brien E (see Gold et al). 1987;16:148-9 (Letter)
- Odom RB (see Koch et al). 1987;16:431-4
- Ohta A, Uitto J, Oikarinen AI, Palatsi R, Mitrane M, Bancila EA, Seibold JR, Kim HC. Paraproteinemia in patients with scleroderma: clinical findings and serum effects on skin fibroblasts in vitro. 1987;16:96-107
- (see Moy et al). 1987;16:1193-1201
- Oikarinen AI (see Ohta et al). 1987;16:96-107
- Oka D (see Kohchiyama et al). 1987;16:833-8
- Okada N. Solitary giant spider angioma with an overlying pyogenic granuloma. 1987;16:1053-4 (Letter)
- Olsen EA. A falling out following minoxidil: telogen effluvium. 1987;16:145-6 (Letter reply)
- , DeLong E, Weiner MS. Effect of time on male pattern baldness. 1987;16:393-4 (Letter reply)
- , —, —. Long-term follow-up of men with male pattern baldness treated with topical minoxidil. 1987;16:688-95 (Symposium)

- (see Pestana et al). 1987;16:971-6
Olsen TG, Feeser TA, Conte ET, Schroeter AL. Skin cancer screening—a local experience. 1987;16:637-42 (Special article)
Omer AHS (see Kubba et al). 1987;16:1183-9
Orecchia G, Rabbiosi G. Squaric acid dibutylester in alopecia areata: is discomfort really necessary? 1987;16:876 (Letter)
Osborne DW. Hard water and skin irritation. 1987;16:1263-4 (Letter)
Osburn K, Schosser RH, Everett MA. Congenital pigmented and vascular lesions in newborn infants. 1987;16:788-92

P

- Pahwa S (see Kaplan et al). 1987;16:485-506 (CME article)
Palatsi R (see Ohta et al). 1987;16:96-107
Palou J (see Marti et al). 1987;16:1106-10
Panconesi E (see Lotti et al). 1987;16:877-8 (Letter)
Paquin F (see Chartier et al). 1987;16:201-5
Parks A (see Meirson et al). 1987;16:141-2 (Letter)
Parsons JM. Pityriasis rosea of Gibert. 1987;16:1260-1 (Letter reply)
Patel BG (see Wang et al). 1987;16:812-21
Patel HP (see Mutasim et al). 1987;16:75-82
Patterson JW, Kitces EN, Neafie RC. Cutaneous botryomycosis in a patient with acquired immunodeficiency syndrome. 1987;16:238-42
Paul R, Paul R, Jansen CT. Itch and malignancy prognosis in generalized pruritus: a six year follow-up of 125 patients. 1987;16:1179-82
— (see Paul et al). 1987;16:1179-82
Pearson LH, Smith JG Jr, Chalker DK. Hyperkeratosis lenticularis perstans (Flegel's disease): case report and literature review. 1987;16:190-5
Penneys NS (see Gretzula and Penneys). 1987;16:1151-4
— (see Rae et al). 1987;16:235-7
— (see Rico et al). 1987;16:1209-18
Peraza JE (see Schwartz and Peraza). 1987;16:887-8 (Letter)
Perez-Figaredo RA (see Berger et al). 1987;16:1096-1105
Pestana A, Olsen EA, Delong ER, Murray JC. Effect of ultraviolet light on topical minoxidil-induced hair growth in advanced male pattern baldness. 1987;16:971-6
Peters MS, Winkelmann RK, Greaves MW, Kephart GM, Gleich GJ. Extracellular deposition of eosinophil granule major basic protein in pressure urticaria. 1987;16:513-7
Pezzarossi HE (see Lazo-de-la-Vega et al). 1987;16:1058-60 (Letter)
Phelps RG (see Norwood-Galloway et al). 1987;16:435-9
Phillips TJ, Jones DH, Baker H. Pulmonary complications following methotrexate therapy. 1987;16:373-5 (Adverse reactions)
Picascia DD, Rothe M, Goldberg NS, Roenigk HH Jr. Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? 1987;16:574-7
Pickard WR (see Ashworth et al). 1987;16:394-5 (Letter)
Pierce DK, Purcell SM, Spielvogel RL. Purpuric papules and vesicles of the palms in dermatitis herpetiformis. 1987;16:1274-6 (Letter)
Piette WW. The incidence of second malignancies in subsets of Kaposi's sarcoma. 1987;16:855-61 (Clin. rev.)
Pinnell SR. The skin in Ehlers-Danlos syndrome. 1987;16:399-400 (Letter)
Pitts RL. Serum elevation of dehydroepiandrosterone sulfate associated with male pattern baldness in young men. 1987;16:571-3
Pochi PE (see Shalita et al). 1987;16:410-2 (Periodic synopsis)
Podzamecz D, Ribera M, Gudolf F. Skin abscesses caused by *Candida albicans* in heroin abusers. 1987;16:386-7 (Letter)

- Polano MK. Radiation therapy in dermatologic training centers. 1987;16:1267-8 (Letter)
Polk BF (see Triana et al). 1987;16:888-9 (Letter)
Ponce-de-León S (see Lazo-de-la-Vega et al). 1987;16:1058-60 (Letter)
Pratt MD, Jackson R. Nevroid basal cell carcinoma syndrome. 1987;16:964-70
Prawer SE (see Katz et al). 1987;16:711-7 (Symposium)
— (see Katz et al). 1987;16:804-11
Premalatha S (see Razack et al). 1987;16:217-9
Presser SE, Taylor JR. Clinical diagnostic accuracy of basal cell carcinoma. 1987;16:988-90
Price VH. Double-blind, placebo-controlled evaluation of topical minoxidil in extensive alopecia areata. 1987;16:730-6 (Symposium)
— Topical minoxidil (3%) in extensive alopecia areata, including long-term efficacy. 1987;16:737-44 (Symposium)
Privat Y (see Berbis and Privat). 1987;16:1271-2 (Letter)
Przybilla B (see Ruzicka et al). 1987;16:1202-8
Purcell SM, Wians FH Jr, Ackerman NB Jr, Davis BM. Hyperbilirubinemia in the bronze baby syndrome. 1987;16:172-7
— (see Pierce et al). 1987;16:1274-6 (Letter)

R

- Rabbiosi G (see Orecchia and Rabbiosi). 1987;16:876 (Letter)
Rae V, Gould E, Ibe MJ, Penneys NS. Coexistent pemphigus vulgaris and Paget's disease of the nipple: an immunohistochemical study. 1987;16:235-7
Ramsay C (see Waitzer et al). 1987;16:779-87
Rao NR (see Razack et al). 1987;16:217-9
Raskin BI. Antibacterial therapy. 1987;16:631 (Letter)
Ratz JL (see Jaworsky et al). 1987;16:769-71
Raucher H (see Norwood-Galloway et al). 1987;16:435-9
Raymond GP (see Tousignant et al). 1987;16:167-71
Razack EMA, Premalatha S, Rao NR, Zahra A. Acanthosis palmaris in a patient with bullous pemphigoid. 1987;16:217-9
Rebora A, Crovato F. PIBI(D)S syndrome—trichothiodystrophy with xeroderma pigmentosum (group D) mutation. 1987;16:940-7
Redmond J (see Horan et al). 1987;16:458-62
Reed ML (see Shupack et al). 1987;16:673-6 (Symposium)
Requena L (see Urrutia et al). 1987;16:627-9 (Letter)
Reunala T, Savilahti E, Kosnai I. Dermatitis herpetiformis in children. 1987;16:1050 (Letter)
Ribera M (see Podzamecz et al). 1987;16:386-7 (Letter)
Riccardi VM (see Wasserteil et al). 1987;16:1090-6
Richard M, Giroux JM. Acrokeratosis paraneoplastica (Bazex' syndrome). 1987;16:178-83
Rico MJ, Kory WP, Gould EW, Penneys NS. Interface dermatitis in patients with the acquired immunodeficiency syndrome. 1987;16:1209-18
Rietschel RL, Duncan SH. Safety and efficacy of topical minoxidil in the management of androgenetic alopecia. 1987;16:677-84 (Symposium)
Rigel DS. Computers in dermatology. 1987;16:606-9 (Computer rev.)
Ring J (see Ruzicka et al). 1987;16:1202-8
Roberts DT (see Ashworth et al). 1987;16:394-5 (Letter)
Roberts JL. Androgenetic alopecia: treatment results with topical minoxidil. 1987;16:705-10 (Symposium)
Roberts LJ, Shadwick CF, Bergstresser PR. Zinc deficiency in two full-term breast-fed infants. 1987;16:301-4

- Rocamora A, Badia N, Vives R, Carrillo R, Ulloa J, Ledo A. Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses. 1987;16:1163-8
- Rodman OG (see James et al). 1987;16:584-90
- (see Uboguy-Rainey et al). 1987;16:452-7
- Rodríguez ML (see Sendagorta et al). 1987;16:135-6 (Letter)
- Roenigk HH Jr (see Picascia et al). 1987;16:574-7
- Rosen R, Stone MS. Coumadin versus heparin necrosis. 1987;16:149-50 (Letter reply)
- Ross EV Jr, Badame AJ, Dale SE. Meat tenderizer in the acute treatment of imported fire ant stings. 1987;16:1189-92
- Roth RR (see Benson et al). 1987;16:623-4 (Letter)
- Rothe M (see Picascia et al). 1987;16:574-7
- Roupe G. Urticaria pigmentosa and sunlight. 1987;16:387-8 (Letter)
- Rovetto P (see Falabella et al). 1987;16:35-44
- Rowe L (see Fox et al). 1987;16:839-44
- Rudlinger R. Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia. 1987;16:625-7 (Letter)
- Rudolph RI. Subungual basal cell carcinoma presenting as longitudinal melanonychia. 1987;16:229-33
- Ruiz-Palacios GM (see Lazo-de-la-Vega et al). 1987;16:1058-60 (Letter)
- Ruzicka T, Gerstmeier M, Przybilla B, Ring J. Allergy to local anesthetics: comparison of patch test with prick and intradermal test results. 1987;16:1202-8
- S
- Saatjian GD (see Leyden et al). 1987;16:822-7
- Sadick N (see Kaplan et al). 1987;16:485-506 (CME article)
- Sagebiel RW. Melanoma and the atypical nevus. 1987;16:885 (Letter reply)
- Salhany KE (see Dufresne et al). 1987;16:385-6 (Letter)
- Samorodin C (see Shapiro et al). 1987;16:1115-7
- Samson CR (see Katz et al). 1987;16:804-11
- Sánchez JL (see Martínez et al). 1987;16:31-4
- Sanchez MD (see Jorda et al). 1987;16:619-20 (Letter)
- Sandbank M (see David et al). 1987;16:257-60
- Sander HM (see Connolly and Sander). 1987;16:890 (Letter)
- Samgadharan MG (see Kaplan et al). 1987;16:485-506 (CME article)
- Savilahti E (see Reunala et al). 1987;16:1050 (Letter)
- Savin RC. Use of topical minoxidil in the treatment of male pattern baldness. 1987;16:696-704 (Symposium)
- Schade W (see McCoy et al). 1987;16:315-8
- (see McCoy et al). 1987;16:955-60
- Scheffer E (see Willemze et al). 1987;16:518-26
- Scher RK (see Greene and Scher). 1987;16:1015-21 (Clin. rev.)
- (see Ingram et al). 1987;16:253-6
- Schossner RH (see Osburn et al). 1987;16:788-92
- Schroeter AL (see Olsen et al). 1987;16:637-42 (Special article)
- Schwam L (see Lemlich et al). 1987;16:319-25
- Schwartz BK, Peraza JE. Pilomatricomas associated with myotonic dystrophy. 1987;16:887-8 (Letter)
- Scott DW. Sterile eosinophilic pustulosis in dog and man: comparative aspects. 1987;16:1022-6 (Clin. rev.)
- Sebben JE. The hazards of electrosurgery. 1987;16:869-72 (Editorial)
- Sefton J (see Leyden et al). 1987;16:822-7
- Seibold JR (see Ohta et al). 1987;16:96-107
- Sendagorta E, Matarredona J, Brieva JA, Rodríguez ML, Ledo A. Systemic lupus erythematosus in association with smoldering multiple myeloma. 1987;16:135-6 (Letter)
- Sentis HJ (see Willemze et al). 1987;16:518-26
- Shadwick CF (see Roberts et al). 1987;16:301-4
- Shalita AR, Leyden JE Jr, Pochi PE, Strauss JS. Acne vulgaris. 1987;16:410-2 (Periodic synopsis)
- (see Leyden et al). 1987;16:822-7
- Shands JW Jr, Flowers FP, Hill HM, Smith JO. Pyoderma gangrenosum in a kindred: precipitation by surgery or mild physical trauma. 1987;16:931-4
- Shanon A (see David et al). 1987;16:257-60
- Shapiro RS, Samorodin C, Hood AF. Pruritus as a presenting sign of acquired immunodeficiency syndrome. 1987;16:1115-7
- (see Jerdan et al). 1987;16:444-7
- (see Triana et al). 1987;16:888-9 (Letter)
- Shelley ED (see Shelley et al). 1987;16:124-8
- (see Shelley et al). 1987;16:211-7
- (see Shelley et al). 1987;16:354-61
- Shelley WB, Shelley ED, Burmeister V. Argiria: the intradermal "photograph," a manifestation of passive photosensitivity. 1987;16:211-7
- , —, —. Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses. 1987;16:124-8
- , —, —. The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy. 1987;16:354-61
- Sherertz EF (see Appell and Sherertz). 1987;16:89-95
- Sheward S (see Monroe et al). 1987;16:481-4
- Shum DT, Guenther L. Intracellular elastin in cutaneous giant cell reaction. 1987;16:617-9 (Letter)
- Shupack JL, Kassimir JJ, Thirumooth T, Reed ML, Jondreau L. Dose-response study of topical minoxidil in male pattern alopecia. 1987;16:673-6 (Symposium)
- Siegle R (see McCoy et al). 1987;16:315-8
- (see McCoy et al). 1987;16:955-60
- (see Meirson et al). 1987;16:141-2 (Letter)
- Sifuentes J (see Lazo-de-la-Vega et al). 1987;16:1058-60 (Letter)
- Silverman AK, Ellis CN, Voorhees JJ. Hypervitaminosis A syndrome: a paradigm of retinoid side effects. 1987;16:1027-39 (Adverse reactions)
- Skogh M (see Anderson et al). 1987;16:389-90 (Letter)
- Slama SL (see Hanke et al). 1987;16:1122-8
- Smith JG Jr (see Pearson et al). 1987;16:190-5
- Smith JO (see Shands et al). 1987;16:931-4
- Smith NB (see Jerdan et al). 1987;16:444-7
- Snipes W (see Marks et al). 1987;16:961-3
- Sober AJ (see Lederman et al). 1987;16:331-5
- Sofen HL (see Kingston et al). 1987;16:1079-83
- Sonthheimer RD. Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients. 1987;16:130-4 (Editorial)
- (see Cruz et al). 1987;16:473-80
- Spencer SK (see Boughton and Spencer). 1987;16:862-7 (Derm. surg.)
- Spielvogel RL (see Berger et al). 1987;16:1096-1105
- (see Pierce et al). 1987;16:1274-6 (Letter)
- Spindler JR. Deaths occurring during clinical studies of topical minoxidil. 1987;16:725-9 (Symposium)
- Spinowitz AL. Familial pemphigus vulgaris. 1987;16:1270 (Letter reply)
- Stahl D (see Veien et al). 1987;16:534-40
- Steinman HK (see Young and Steinman). 1987;16:395-6 (Letter)

- Stingl G (see Aberer et al). 1987;16:527-33
Stone MS (see Rosen and Stone). 1987;16:149-50 (Letter reply)
Stough D, Guin JD, Baker GF, Haynie L. Pustular eruptions following administration of cefazolin: a possible interaction with methyldopa. 1987;16:1051-2 (Letter)
Strauss JS (see Shalita et al). 1987;16:410-2 (Periodic synopsis)
Strickler JG (see Wood et al). 1987;16:559-70
Stuetgen G. A short history of German dermatology. 1987;16:1061-7 (Special article)
Swanson NA (see McCoy et al). 1987;16:315-8
—— (see McCoy et al). 1987;16:955-60

T

- Taieb A, Douard D, Maleville J. Subcutaneous fat necrosis and brown fat deficiency. 1987;16:624-5 (Letter)
Takigawa M (see Iwatsuki et al). 1987;16:83-8
Tanabe JL (see Huntley and Tanabe). 1987;16:227-9
Tapert MJ (see Lang and Tapert). 1987;16:439-43
Taylor JR (see Presser and Taylor). 1987;16:988-90
Temofew RK (see Hanke et al). 1987;16:1122-8
Ten Kate F (see van Joost et al). 1987;16:138-9 (Letter)
Ternowitz T. The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin. 1987;16:1169-75
Tharp MD (see Kasper and Tharp). 1987;16:326-31
Thiers BH (see Galbraith et al). 1987;16:977-83
Thirumoorth T (see Shupack et al). 1987;16:673-6 (Symposium)
Thivolet J (see Granier et al). 1987;16:243-9
Thomas I. Gold therapy and its indications in dermatology. 1987;16:845-54 (Therapy)
Thornfeldt CR, Menkes AW. Bullous pemphigoid controlled by tetracycline. 1987;16:305-10
Tidman MJ, Wells RS, MacDonald DM. Pachyonychia congenita with cutaneous amyloidosis and hyperpigmentation—a distinct variant. 1987;16:935-40
Todd RF III (see James et al). 1987;16:220-6
Tomecki KJ, Mikesell JF. Rower's rump. 1987;16:890-1 (Letter)
Tonelli T (see Cascinelli et al). 1987;16:361-7
Toonstra J (see Willemze et al). 1987;16:518-26
Tosti A. Congenital triangular alopecia. 1987;16:991-3
——, Tosti G, Giovannini A. Discoid lupus erythematosus solely involving the eyelids: report of three cases. 1987;16:1259-60 (Letter)
—— (see Bettoli et al). 1987;16:617
Tosti G (see Tosti et al). 1987;16:1259-60 (Letter)
Tousignant J, Raymond GP, Light MJ. Treatment of cutaneous T-cell lymphoma with the retinoid Ro 13-6298. 1987;16:167-71
Triana AF, Shapiro RS, Polk BF, Hood AF. Mucocutaneous findings in acquired immunodeficiency syndrome/AIDS-related complex patients. 1987;16:888-9 (Letter)
Tucker MA (see Greene et al). 1987;16:792-7
Tuffanelli DL. Antinuclear antibodies and photosensitivity in lupus erythematosus—relevant in PUVA therapy? 1987;16:614-6 (Editorial)

U

- Ubogay-Rainey Z, James WD, Lupton GP, Rodman OG. Fibrofolliculomas, trichodiscomas, and acrochordons: the Birt-Hogg-Dubé syndrome. 1987;16:452-7
Ueki H (see Kohchiyama et al). 1987;16:833-8
Uitto J (see Moy et al). 1987;16:1193-1201

- (see Ohta et al). 1987;16:96-107
Ulloa J (see Rocamora et al). 1987;16:1163-8
Uno H, Capps A, Brigham P. Action of topical minoxidil in the bald stump-tailed macaque. 1987;16:657-68 (Symposium)
Urbach F (see Lowe et al). 1987;16:994-8
Urrutia S, Vazquez F, Requena L, Yus ES. Acquired ichthyosis associated with dermatomyositis. 1987;16:627-9 (Letter)

V

- van der Loos TLJM, Lambrecht ER, Lambers JCCA. Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine. 1987;16:468-72
van der Putte SCJ (see Willemze et al). 1987;16:518-26
Vanderveen EE (see McCoy et al). 1987;16:955-60
van Joost T, Vuzevski VD, Ten Kate F, Hagenbeek A. Localized oral and perioral lesions in chronic graft-versus-host disease. 1987;16:138-9 (Letter)
van Vloten WA (see Willemze et al). 1987;16:518-26
Varotti C (see Bettoli et al). 1987;16:617
Vazquez F (see Urrutia et al). 1987;16:627-9 (Letter)
Veglia KS, Marks VJ. *Fusarium* as a pathogen: a case report of *Fusarium* sepsis and review of the literature. 1987;16:260-3
Veien NK, Stahl D, Brodthagen H. Cutaneous sarcoidosis in Caucasians. 1987;16:534-40
Venencie PY (see Friedman et al). 1987;16:341-5
Venot J (see Bernard et al). 1987;16:879-81 (Letter)
Verdeger JM (see Jorda et al). 1987;16:619-20 (Letter)
Viraben R (see Dupre and Viraben). 1987;16:142-4 (Letter)
Virshup DM (see Jerdan et al). 1987;16:444-7
Vives R (see Rocamora et al). 1987;16:1163-8
Voorhees JJ (see Ellis and Voorhees). 1987;16:267-91 (CME article)
—— (see Silverman et al). 1987;16:1027-39 (Adverse reactions)
Vuzevski VD (see van Joost et al). 1987;16:138-9 (Letter)

W

- Wagner RF Jr (see Feingold and Wagner). 1987;16:631 (Letter reply)
Waitzer S, Butany J, From L, Hanna W, Ramsay C, Downar E. Cutaneous ultrastructural changes and photosensitivity associated with amiodarone therapy. 1987;16:779-87
Waldinger TP (see McCoy et al). 1987;16:315-8
—— (see McCoy et al). 1987;16:955-60
Walsh M (see Cunningham et al). 1987;16:117-23
Walter JB (see Lozinski et al). 1987;16:448-51
Wang JCT, Patel BG, Ehmann CW, Lowe N. The release and percutaneous permeation of anthralin products, using clinically involved and uninvolved psoriatic skin. 1987;16:812-21
Warnke RA (see Wood et al). 1987;16:559-70
Wasserteil V, Bruce S, Riccardi VM. Non-von Recklinghausen's neurofibromatosis presenting as hemifacial neurofibromas and contralateral café au lait spots. 1987;16:1090-6
Watters AK (see Gold et al). 1987;16:148-9 (Letter)
Weary PE. Medical isolationism. 1987;16:872-5 (Editorial)
Weber G, Frey H. Treatment of psoriatic arthritis with bromocriptine. 1987;16:388-9 (Letter)
Weigand DA. On bringing up academic dermatologists. 1987;16:129 (Editorial)
Weiner MS (see Olsen et al). 1987;16:393-4 (Letter reply)
—— (see Olsen et al). 1987;16:688-95 (Symposium)
Weingarten DP (see Lowe and Weingarten). 1987;16:402 (Letter reply)
—— (see Kingston et al). 1987;16:1079-83

- (see Lowe et al). 1987;16:994-8
- Weinrauch L, Katz M, El-On J. *Leishmania aethiopica*: topical treatment with paromomycin and methylbenzethonium chloride ointment. 1987;16:1268-70 (Letter)
- Wells RS (see Tidman et al). 1987;16:935-40
- Westheim A (see Marks et al). 1987;16:961-3
- Weston CFM, Burton JL. Xanthomas in the Watson-Alagille syndrome. 1987;16:1117-21
- Wheeler CE Jr (see Baden et al). 1987;16:1075-8
- Whitefield M. Degradation of anthralin by coal tar. 1987;16:629 (Letter)
- (see Logan et al). 1987;16:136-7 (Letter)
- Whiting DA. Structural abnormalities of the hair shaft. 1987;16:1-25 (CME article)
- Wians FH Jr (see Purcell et al). 1987;16:172-7
- Willemze R, Meijer CJLM, Sentis HJ, Scheffer E, van Vloten WA, Toonstra J, van der Putte SCJ. Primary cutaneous large cell lymphomas of follicular center cell origin. 1987;16:518-26
- Winkelman RK (see Friedman and Winkelman). 1987;16:600-5 (Clin. rev.)
- (see Friedman et al). 1987;16:341-5
- (see Peters et al). 1987;16:513-7
- Wolf JE Jr (see Barnhill and Wolf). 1987;16:1226-42 (Clin. rev.)
- Wolff K (see Aberer et al). 1987;16:527-33
- (see Henseler et al). 1987;16:108-16
- Wolff-Schreiner EC (see Aberer et al). 1987;16:527-33

Subject index

A

Abscess

- Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8
- Nodular subcutaneous abscesses caused by *Candida tropicalis* (Benson et al) (Letter). 1987;16:623-4
- Skin abscesses caused by *Candida albicans* in heroin abusers (Podzamecz et al) (Letter). 1987;16:386-7

Abuse, drug

- Skin abscesses caused by *Candida albicans* in heroin abusers (Podzamecz et al) (Letter). 1987;16:386-7

Academic dermatology

- On bringing up academic dermatologists (Weigand). 1987;16:129 (Editorial)

Acanthomas

- Multiple clear cell acanthomas (Baden et al). 1987;16:1075-8

Acanthosis palmaris

- Acanthosis palmaris in a patient with bullous pemphigoid (Razack et al). 1987;16:217-9

Accutane

- Accutane and pregnancy prevention (Yoder) (Letter). 1987;16:140-1

January, part 1, pp. 1-166; January, part 2, pp. 167-266; February, part 1, pp. 267-430; February, part 2, pp. 431-484; March, part 1, pp. 485-646; March, part 2, pp. 647-750; April, pp. 751-906; May, part 1, pp. 907-1074; May, part 2, pp. 1075-1128; June, pp. 1129-1320.

- Wood GS, Strickler JG, Abel EA, Deneau DG, Warnke RA. Immunohistology of pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica: evidence for their interrelationship with lymphomatoid papulosis. 1987;16:559-70
- Wood MG (see Cott et al). 1987;16:1243-51 (Derm. surg.)
- Woodley DT (see Baden et al). 1987;16:1075-8

Y

- Yager NB (see Braverman et al). 1987;16:45-60
- Yamada M (see Iwatsuki et al). 1987;16:83-8
- Yoder FW. Accutane and pregnancy prevention. 1987;16:140-1 (Letter)
- Young L, Steinman HK. Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma. 1987;16:395-6 (Letter)
- (see Glover et al). 1987;16:396-9 (Letter)
- Yus ES (see Urrutia et al). 1987;16:627-9 (Letter)

Z

- Zackary CB (see McCoy et al). 1987;16:955-60
- Zahra A (see Razack et al). 1987;16:217-9
- Zhu YY (see Granier et al). 1987;16:243-9
- Ziv R. Discoid lupus erythematosus solely involving the eyelids: report of three cases. 1987;16:1260 (Letter reply)

Acne

- Acne vulgaris (Shalita et al). 1987;16:410-2 (Periodic synopsis)
- Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)
- Erythromycin 2% gel in comparison with clindamycin phosphate 1% solution in acne vulgaris (Leyden et al). 1987;16:822-7
- Etretinate for keratin disorders and isotretinoin for acne and not the other way around (Moncada) (Letter); (Mehregan) (Letter reply); (Nguyen and Greer) (Letter reply). 1987;16:622-3
- Evolution of a strategy for the treatment of acne (Cunliffe). 1987;16:591-9 (Therapy)
- Necrotizing lymphocytic folliculitis: the early lesion of acne necrotica (varioliformis) (Kossard et al). 1987;16:1007-14

Acquired immunodeficiency syndrome

- Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma (Young and Steinman) (Letter). 1987;16:395-6
- Complex viral and fungal skin lesions of patients with acquired immunodeficiency syndrome (Gretzula and Penneys). 1987;16:1151-4
- Cutaneous botryomycosis in a patient with acquired immunodeficiency syndrome (Patterson et al). 1987;16:238-42
- Dermatologic findings and manifestations of acquired immunodeficiency syndrome (AIDS) (Kaplan et al). 1987;16:485-506 (CME article)
- Interface dermatitis in patients with the acquired immunodeficiency syndrome (Rico et al). 1987;16:1209-18
- Kaposi's sarcoma and acquired immunodeficiency syndrome: post-

- mortem findings in twenty-four cases (Lemlich et al). 1987;16:319-25
- Mucocutaneous findings in acquired immunodeficiency syndrome/AIDS-related complex patients (Triana et al) (Letter). 1987;16:888-9
- Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9
- Pruritus as a presenting sign of acquired immunodeficiency syndrome (Shapiro et al). 1987;16:1115-7
- Acrochordons**
Fibrofolliculomas, trichodiscomas, and acrochordons: the Birt-Hogg-Dubé syndrome (Ubogay-Rainey et al). 1987;16:452-7
- Acrokeratosis paraneoplastica**
Acrokeratosis paraneoplastica (Bazex' syndrome) (Richard and Giroux). 1987;16:178-83
- Actinic reticuloid**
Actinic reticuloid in a black man: successful therapy with azathioprine (Kingston et al). 1987;16:1079-83
- Adrenal function**
Superpotent topical steroid treatment of psoriasis vulgaris—clinical efficacy and adrenal function (Katz et al). 1987;16:804-11
- Adverse reactions**
Adverse reactions. 1987;16:1027-39
- AIDS; see Acquired immunodeficiency syndrome**
- Air travel**
Commercial air travel and medical kits (Goodman) (Letter). 1987;16:634
- Albopapuloides**
Epidermolysis bullosa dystrophica et albopapuloides (Pasini) (El-Tonsy et al) (Letter). 1987;16:891-3
- Allergy**
Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8
Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9
- Allograft**
Toxic epidermal necrolysis: an approach to management using cryopreserved allograft skin (Birchall et al). 1987;16:368-72
- Alopecia**
Action of topical minoxidil in the bald stump-tailed macaque (Uno et al). 1987;16:657-68 (Symposium)
Alopecia associated with underlying nerve sheath myxoma (Burket). 1987;16:209-11
Androgenetic alopecia treated with topical minoxidil (De Villez). 1987;16:669-72 (Symposium)
Androgenetic alopecia: treatment results with topical minoxidil (Roberts). 1987;16:705-10 (Symposium)
Congenital triangular alopecia (Tosti). 1987;16:991-3
Deaths occurring during clinical studies of topical minoxidil (Spindler). 1987;16:725-9 (Symposium)
Dose-response study of topical minoxidil in male pattern alopecia (Shupack et al). 1987;16:673-6 (Symposium)
Double-blind, placebo-controlled evaluation of topical minoxidil in extensive alopecia areata (Price). 1987;16:730-6 (Symposium)
Effect of minoxidil on pre- and postconfluent keratinocytes (Kubilus et al). 1987;16:648-52 (Symposium)
Effect of ultraviolet light on topical minoxidil-induced hair growth in advanced male pattern baldness (Pestana et al). 1987;16:971-6
A kindred with alopecia, keratosis pilaris, cataracts, and psoriasis (Appell and Sherertz). 1987;16:89-95
Long-term efficacy of topical minoxidil in male pattern baldness (Katz et al). 1987;16:711-7 (Symposium)
Long-term follow-up of men with male pattern baldness treated with topical minoxidil (Olsen et al). 1987;16:688-95 (Symposium)
Potential mechanisms of minoxidil-induced hair growth in alopecia areata (Fiedler-Weiss). 1987;16:653-6 (Symposium)
A randomized double-blind study of inosiplex (Isoprinoline) therapy in patients with alopecia totalis (Galbraith et al). 1987;16:977-83
Safety and efficacy of topical minoxidil in the management of androgenetic alopecia (Rietschel and Duncan). 1987;16:677-84 (Symposium)
Squaric acid dibutylester in alopecia areata: is discomfort really necessary? (Orecchia and Rabbiosi) (Letter). 1987;16:876
Topical minoxidil in early androgenetic alopecia (Kreindler). 1987;16:718-24 (Symposium)
Topical minoxidil (3%) in extensive alopecia areata, including long-term efficacy (Price). 1987;16:737-44 (Symposium)
Topical minoxidil solution (1% and 5%) in the treatment of alopecia areata (Fiedler-Weiss). 1987;16:745-8 (Symposium)
Use of topical minoxidil as a possible adjunct to hair transplant surgery (Kassimir). 1987;16:685-7 (Symposium)
Use of topical minoxidil in the treatment of male pattern baldness (Savin). 1987;16:696-704 (Symposium)
- Amiodarone**
Cutaneous ultrastructural changes and photosensitivity associated with amiodarone therapy (Waitzer et al). 1987;16:779-87
- Amyloidosis**
Pachyonychia congenita with cutaneous amyloidosis and hyperpigmentation—a distinct variant (Tidman et al). 1987;16:935-40
- Anabolic steroid**
Marked fall in high-density lipoprotein following isotretinoin therapy: report of a case in a weight lifter on anabolic steroids (Hoag et al) (Letter). 1987;16:1264-5
- Anagen effluvium**
Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)
- Androgenetic alopecia; see Alopecia**
- Anesthetics**
Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8
- Anetoderma**
Familial anetoderma (Friedman et al). 1987;16:341-5
- Angioedema**
Controlled clinical assessment of astemizole in the treatment of chronic idiopathic urticaria and angioedema (Kailasam and Matthews). 1987;16:797-804
- Angiogenesis**
Angiogenesis and the skin (Barnhill and Wolf). 1987;16:1226-42 (Clin. rev.)
- Angiolymphoid hyperplasia**
Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4

Angioma

Solitary giant spider angioma with an overlying pyogenic granuloma (Okada) (Letter). 1987;16:1053-4

Anthrallin

Anthrallin stability in various vehicles (Green et al). 1987;16:984-8

Degradation of anthrallin by coal tar (Whitefield) (Letter). 1987;16:629

The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthrallin (Ternowitz). 1987;16:1169-75

The release and percutaneous permeation of anthrallin products, using clinically involved and uninvolved psoriatic skin (Wang et al). 1987;16:812-21

Antibacterial therapy

Antibacterial therapy (Raskin) (Letter); (Feingold and Wagner) (Letter reply). 1987;16:631

Antibacterial therapy continued (Cage) (Letter); (Feingold) (Letter reply). 1987;16:631-2

Antibodies

Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? (Picascia et al). 1987;16:574-7

Antinuclear antibodies and photosensitivity in lupus erythematosus—relevant in PUVA therapy? (Tuffanelli). 1987;16:614-6 (Editorial)

Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82

Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Antifungal agent

Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7

Antigen

Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9

Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6

Anti-inflammatory drugs

Pharmacology and significance of nonsteroidal anti-inflammatory drugs in the treatment of skin diseases (Greaves). 1987;16:751-64 (CME article)

Antinuclear antibodies

Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? (Picascia et al). 1987;16:574-7

Antinuclear antibodies and photosensitivity in lupus erythematosus—relevant in PUVA therapy? (Tuffanelli). 1987;16:614-6 (Editorial)

Anti-Ro/SS-A autoantibody

Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in sub-

acute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Aqueous cream

Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7

Argyria

Argyria: the intradermal "photograph," a manifestation of passive photosensitivity (Shelley et al). 1987;16:211-7

Arctoinoid

Treatment of cutaneous T-cell lymphoma with the arctoinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71

Arthritis

Pyoderma gangrenosum with simultaneous contiguous arthritis (Meirson et al) (Letter). 1987;16:141-2

Treatment of psoriatic arthritis with bromocriptine (Weber and Frey) (Letter). 1987;16:388-9

Astemizole

Controlled clinical assessment of astemizole in the treatment of chronic idiopathic urticaria and angioedema (Kailasam and Mathews). 1987;16:797-804

Atopic dermatitis

Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9

Atypical nevus

Melanoma and the atypical nevus (Fusaro and Lynch) (Letter); (Sagebiel) (Letter reply). 1987;16:884-5

Autoantibody

Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Autobiography

Donald J. Birmingham. 1987;16:425-30

Avidin stain

Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31

Azathioprine

Actinic reticuloid in a black man: successful therapy with azathioprine (Kingston et al). 1987;16:1079-83

Azathioprine in the treatment of pemphigus vulgaris (Aberer et al). 1987;16:527-33

B**Bacitracin**

Benzocaine and bacitracin as sensitizers (Leyden) (Letter); (Fisher and Adams) (Letter reply). 1987;16:1055-7

Bacterial infection

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Baldness; see Alopecia**Basal cell carcinoma**

Clinical diagnostic accuracy of basal cell carcinoma (Presser and Taylor). 1987;16:988-90

Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

- Nevoid basal cell carcinoma syndrome (Pratt and Jackson). 1987;16:964-70
- Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33
- Unilateral nevoid basal cell carcinoma syndrome (Camisa) (Letter); (Mora) (Letter reply). 1987;16:1270-1
- Basal cell epithelioma**
- Deep recurrent basal cell epithelioma (Leonforte) (Letter). 1987;16:1257-8
- Basement membrane**
- Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82
- Multiple clear cell acanthomas (Baden et al). 1987;16:1075-8
- Basic science**
- Basic science conferences in residency training: a national survey (Cruz et al). 1987;16:413-9 (Special article)
- Bathwater**
- Topical (bathwater) PUVA therapy (Gange and Anderson) (Letter); (Lowe and Weingarten) (Letter reply). 1987;16:401-2
- Bazex' syndrome**
- Acrokeratosis paraneoplastica (Bazex' syndrome) (Richard and Giroux). 1987;16:178-83
- Benzocaine**
- Benzocaine and bacitracin as sensitizers (Leyden) (Letter); (Fisher and Adams) (Letter reply). 1987;16:1055-7
- Benzoic acid**
- Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7
- Bilirubin**
- Hyperbilirubinemia in the bronze baby syndrome (Purcell et al). 1987;16:172-7
- Biopsy**
- Reflex sympathetic dystrophy following nail biopsy (Ingram et al). 1987;16:253-6
- Birmingham, Donald J.**
- Autobiography. 1987;16:425-30
- Birth defects**
- Lethal genes surviving by mosaicism: a possible explanation for sporadic birth defects involving the skin (Happle). 1987;16:899-906 (Commentary)
- Birt-Hogg-Dubé syndrome**
- Fibrofolliculomas, trichodiscomas, and acrochordons: the Birt-Hogg-Dubé syndrome (Ubogoy-Rainey et al). 1987;16:452-7
- Bleeding**
- Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage (Ashworth et al) (Letter). 1987;16:394-5
- Blood eosinophilia**
- Blood eosinophilia as a severity marker for bullous pemphigoid (Bernard et al) (Letter). 1987;16:879-81
- Bone**
- Bone changes in children on long-term treatment with etretinate (Halkier-Sorensen et al). 1987;16:999-1006
- Platelike cutaneous osteoma (Monroe et al). 1987;16:481-4
- Book reviews**
- Book reviews. 1987;16:161-6; 420-4; 895-8; 1277-81
- Botryomycosis**
- Cutaneous botryomycosis in a patient with acquired immunodeficiency syndrome (Patterson et al). 1987;16:238-42
- Bovine implant**
- Connective tissue diseases and bovine collagen implants (McCoy et al). 1987;16:315-8
- Immune responses to bovine collagen implants (McCoy et al). 1987;16:955-60
- Bowenoid papulosis**
- Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia (Rudlinger) (Letter). 1987;16:625-7
- Breast**
- Coexistent pemphigus vulgaris and Paget's disease of the nipple: an immunohistochemical study (Rae et al). 1987;16:235-7
- Breast-fed infant**
- Zinc deficiency in two full-term breast-fed infants (Roberts et al). 1987;16:301-4
- Bromocriptine**
- Treatment of psoriatic arthritis with bromocriptine (Weber and Frey) (Letter). 1987;16:388-9
- Bronchial reactions**
- Bronchial reactions to photochemotherapy (PUVA) (Anderson et al) (Letter). 1987;16:389-90
- Bronze baby syndrome**
- Hyperbilirubinemia in the bronze baby syndrome (Purcell et al). 1987;16:172-7
- Brown fat**
- Subcutaneous fat necrosis and brown fat deficiency (Taieb et al) (Letter). 1987;16:624-5
- Bullous dermatosis**
- Two types of linear IgA bullous dermatosis (Beutner et al) (Letter). 1987;16:390-1
- Bullous pemphigoid**
- Acanthosis palmaris in a patient with bullous pemphigoid (Razack et al). 1987;16:217-9
- Blood eosinophilia as a severity marker for bullous pemphigoid (Bernard et al) (Letter). 1987;16:879-81
- Bullous pemphigoid (Korman). 1987;16:907-24 (CME article)
- Bullous pemphigoid controlled by tetracycline (Thornfeldt and Menkes). 1987;16:305-10
- C
- Café au lait spots**
- Non-von Recklinghausen's neurofibromatosis presenting as hemifacial neurofibromas and contralateral café au lait spots (Wasserteil et al). 1987;16:1090-6
- Cancer; see also Carcinoma**
- Campaigns for the detection and prevention of melanoma and skin cancers (Arundell). 1987;16:406-7 (Editorial)
- Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4
- Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma (Greene et al). 1987;16:792-7
- Melanoma/skin cancer screening in Michigan (Field). 1987;16:578-83
- Melanoma/skin cancer screening program in a private office setting (Fixler) (Letter). 1987;16:634-5
- Skin cancer screening—a local experience (Olsen et al). 1987;16:637-42 (Special article)
- Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33

Candida albicans

Skin abscesses caused by *Candida albicans* in heroin abusers (Podzameczer et al) (Letter). 1987;16:386-7

Candida tropicalis

Nodular subcutaneous abscesses caused by *Candida tropicalis* (Benson et al) (Letter). 1987;16:623-4

Carbon dioxide laser

Carbon dioxide laser in the treatment of porokeratosis (Hunziker and Bayard) (Letter). 1987;16:625

Carcinoma

Clinical diagnostic accuracy of basal cell carcinoma (Presser and Taylor). 1987;16:988-90

Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8

Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli (Lozinski et al). 1987;16:448-51

Nevoid basal cell carcinoma syndrome (Pratt and Jackson). 1987;16:964-70

Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33

Unilateral nevoid basal cell carcinoma syndrome (Camisa) (Letter); (Mora) (Letter reply). 1987;16:1270-1

Cataracts

A kindred with alopecia, keratosis pilaris, cataracts, and psoriasis (Appell and Sherertz). 1987;16:89-95

Catheter

Catheter infection during continuous peritoneal dialysis (Dale and Anderson). 1987;16:205-8

Cefazolin

Pustular eruptions following administration of cefazolin: a possible interaction with methylodopa (Stough et al) (Letter). 1987;16:1051-2

Cell

Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8

Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Sharp). 1987;16:326-31

Cervical neoplasia

Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia (Rudlinger) (Letter). 1987;16:625-7

Chemotherapy

Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery) (Larson). 1987;16:1040-4 (Derm. surg.)

Chemotaxis

The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75

Chemotherapy

Combined total body electron beam irradiation and chemotherapy for mycosis fungoides (Braverman et al). 1987;16:45-60

Child; see also Infant

Bone changes in children on long-term treatment with etretinate (Halkier-Sorensen et al). 1987;16:999-1006

Childhood vitiligo (Halder et al). 1987;16:948-54

Dermatitis herpetiformis in children (Reunala et al) (Letter); (Ermacora) (Letter reply). 1987;16:1050

Lupus profundus in children: treatment with hydroxychloroquine (Fox et al). 1987;16:839-44

Chloroquine

Chloroquine-induced neutropenia in a patient with dermatomyositis (Don et al) (Letter). 1987;16:629-30

Clear cell acanthomas

Multiple clear cell acanthomas (Baden et al). 1987;16:1075-8

Clindamycin phosphate

Erythromycin 2% gel in comparison with clindamycin phosphate 1% solution in acne vulgaris (Leyden et al). 1987;16:822-7

Clinical reviews

Clinical reviews. 1987;16:600-5; 855-61; 1015-26; 1226-42

Coal tar

Degradation of anthralin by coal tar (Whitefield) (Letter). 1987;16:629

Coalition

Coalitions are good for optimal dermatologic care (Franzblau). 1987;16:868 (Editorial)

Cocaine

Thrombotic phenomena associated with intravenous cocaine (Heng and Haberfeld). 1987;16:462-8

Coiling of hair shaft

Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

Collagen disease

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Collagen implants

Connective tissue diseases and bovine collagen implants (McCoy et al). 1987;16:315-8

Immune responses to bovine collagen implants (McCoy et al). 1987;16:955-60

Colonic polyps

Skin tags and colonic polyps (Arnold) (Letter); (Alcalay) (Letter); (Lubach and Banik) (Letter); (Beitler) (Letter reply). 1987;16:402-3

Skin tags and colonic polyps—a gastroenterologist's perspective (Chobanian). 1987;16:407-9 (Editorial)

Commentaries

Commentaries. 1987;16:643-7; 899-906; 1068-70; 1282-8

Computer

Computers in dermatology (Rigel). 1987;16:606-9 (Computer rev.)

A possible new tool for clinical diagnosis of melanoma: the computer (Cascinelli et al). 1987;16:361-7

Computer review

Computer review. 1987;16:606-9

Condylomata acuminata

Condylomata acuminata (genital warts): an epidemiologic view (Chuang). 1987;16:376-84 (Clin. rev.)

Conference

Basic science conferences in residency training: a national survey (Cruz et al). 1987;16:413-9 (Special article)

Congenital triangular alopecia

Congenital triangular alopecia (Tosti). 1987;16:991-3

Connective tissue

Connective tissue diseases and bovine collagen implants (McCoy et al). 1987;16:315-8

- Connective tissue nevus masquerading as a localized linear epidermal nevus (Herbst et al). 1987;16:264-6
- Contact dermatitis**
Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9
- Contemporaries**
Contemporaries. 1987;16:425-30
- Continuing medical education**
Continuing medical education. 1987;16:1-25; 267-91; 485-506; 751-64 (Therapy); 907-28; 1129-48 (Therapy)
Examination. 1987;16:26-7; 292-4; 507-9; 765-6; 925-7; 1145-7
Answers for CME examination. 1987;16:28; 294; 510; 765; 928; 1148
- Correction**
Elevated creatine phosphokinase levels associated with the use of etretinate (1987;15:710) (Jacyk). 1987;16:1060
- Correspondence; see Letters**
- Corynebacterium**
Cutaneous manifestations of *Corynebacterium* group JK sepsis (Jerdan et al). 1987;16:444-7
- Cost-effective medicine**
Is cost-effective medicine possible? (Dobson). 1987;16:405-6 (Editorial)
- Coumadin**
Coumadin versus heparin necrosis (Gold et al) (Letter); (Rosen and Stone) (Letter reply). 1987;16:148-9
- Counting**
Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31
- Cream**
Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7
- Cryptococcosis**
Localized cutaneous cryptococcosis successfully treated with ketoconazole (Granier et al). 1987;16:243-9
- Curettage**
The technic of curettage surgery (Mohs) (Letter); (Adam) (Letter reply). 1987;16:886
Use of curettage and shave excision in office practice (Cott et al). 1987;16:1243-51 (Derm. surg.)
- Cutaneous basement membrane**
Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82
- Cutaneous lupus erythematosus; see also Lupus erythematosus**
Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma (Cruz et al). 1987;16:473-80
Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Cyclosporine

Treatment of epidermolysis bullosa acquisita with cyclosporine (Connolly and Sander) (Letter). 1987;16:890

D

Dacarbazine

Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine (van der Loos et al). 1987;16:468-72

Death

Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage (Ashworth et al) (Letter). 1987;16:394-5

Deaths occurring during clinical studies of topical minoxidil (Spindler). 1987;16:725-9 (Symposium)

Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9

Dehydroepiandrosterone sulfate

Serum elevation of dehydroepiandrosterone sulfate associated with male pattern baldness in young men (Pitts). 1987;16:571-3

Deoxyribonucleic acid

Ptosis (D) syndrome-trichothiodystrophy with xeroderma pigmentosum (group D) mutation (Rebora and Crovato). 1987;16:940-7

Dermatitis; see also Dermatitis herpetiformis

Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9

Interface dermatitis in patients with the acquired immunodeficiency syndrome (Rico et al). 1987;16:1209-18

Dermatitis herpetiformis

Dermatitis herpetiformis in children (Reunala et al) (Letter); (Ermacor) (Letter reply). 1987;16:1050-1

Localized dermatitis herpetiformis (Helander and Jansen) (Letter). 1987;16:1052-3

The pathogenesis of dermatitis herpetiformis: recent advances (Hall). 1987;16:1129-44

Purpuric papules and vesicles of the palms in dermatitis herpetiformis (Pierce et al) (Letter). 1987;16:1274-6

Dermatofibroma

Dermatofibroma occurring in a smallpox vaccination scar (Hendricks) (Letter). 1987;16:146-7

Dermatologic surgery

Dermatologic surgery. 1987;16:862-7; 1040-4; 1243-52

Dermatologist; see also Training

On bringing up academic dermatologists (Weigand). 1987;16:129 (Editorial)

Dermatomyositis

Acquired ichthyosis associated with dermatomyositis (Urrutia et al) (Letter). 1987;16:627-9

Chloroquine-induced neutropenia in a patient with dermatomyositis (Don et al) (Letter). 1987;16:629-30

Dermatophyte infection

Ecology of dermatophyte infections in South Bronx, New York, 1969-1981 (McLean et al). 1987;16:336-40

Dermatosis

On the pathogenesis of idiopathic guttate hypomelanosis (Falabella et al). 1987;16:35-44

Two types of linear IgA bullous dermatosis (Beutner et al) (Letter). 1987;16:390-1

Desmoplastic melanoma

Desmoplastic melanoma of the penis (Jorda et al) (Letter). 1987;16:619-20

Diabetes

Nail changes associated with diabetes mellitus (Greene and Scher). 1987;16:1015-21 (Clin. Rev.)
Pathologic features of diabetic thick skin (Hanna et al). 1987;16:546-53

Diagnosis

Clinical diagnostic accuracy of basal cell carcinoma (Presser and Taylor). 1987;16:988-90
Leishmaniasis: the touch preparation as a rapid means of diagnosis (Berger et al). 1987;16:1096-1105

Dialysis

Catheter infections during continuous peritoneal dialysis (Dale and Anderson). 1987;16:205-8

Discoid lupus erythematosus

Discoid lupus erythematosus solely involving the eyelids: report of three cases (Tosti et al) (Letter); (Ziv) (Letter reply). 1987;16:1259-60

Drionic unit

Efficacy of the Drionic unit in the treatment of hyperhidrosis (Akins et al). 1987;16:828-32

Drug

Generic equivalence of dermatologic products (Doering et al). 1987;16:1068-70 (Commentary)
Pharmacology and significance of nonsteroidal anti-inflammatory drugs in the treatment of skin diseases (Greaves). 1987;16:751-64 (CME article)
Skin abscesses caused by *Candida albicans* in heroin abusers (Podzamczar et al) (Letter). 1987;16:386-7

Dysplastic nevus syndrome

Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma (Greene et al). 1987;16:792-7

Dystrophy

Pilomatricomas associated with myotonic dystrophy (Schwartz and Peraza) (Letter). 1987;16:887-8
Reflex sympathetic dystrophy following nail biopsy (Ingram et al). 1987;16:253-6

E**Earlobes**

Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8

Earrings

Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8
Earrings for nickel-sensitive women (Dobson) (Letter); (Fisher) (Letter reply). 1987;16:631

Eczema

Numbular eczema during isotretinoin treatment (Bettoli et al). 1987;16:617

Editorial

Editorial. 1987;16:405-9; 614-6; 868-75

Education

On bringing up academic dermatologists (Weigand). 1987;16:129 (Editorial)

Essentials for specialty and subspecialty training in dermatology. 1987;16:151-60 (Special article)

Ehlers-Danlos syndrome

The skin in Ehlers-Danlos syndrome (Pinnell) (Letter). 1987;16:399-400

Elastin

Intracellular elastin in cutaneous giant cell reaction (Shum and Guenther) (Letter). 1987;16:617-9

Electron beam irradiation

Combined total body electron beam irradiation and chemotherapy for mycosis fungoides (Braverman et al). 1987;16:45-60
Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74

Electron microscopy

Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74

The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Electrosurgery

Electrosurgical fundamentals (Boughton and Spencer). 1987;16:862-7 (Derm. surg.)
The hazards of electrosurgery (Sebben). 1987;16:869-72 (Editorial)

Eosinophil

Blood eosinophilia as a severity marker for bullous pemphigoid (Bernard et al) (Letter). 1987;16:879-81
Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4
Extracellular deposition of eosinophil granule major basic protein in pressure urticaria (Peters et al). 1987;16:513-7
Sterile eosinophilic pustulosis in dog and man: comparative aspects (Scott). 1987;16:1022-6 (Clin. rev.)

Epidermal necrolysis

Lupus erythematosus and toxic epidermal necrolysis (Bielsa et al) (Letter). 1987;16:1265-7
Toxic epidermal necrolysis: an approach to management using cryopreserved allograft skin (Birchall et al). 1987;16:368-72

Epidermal nevus

Connective tissue nevus masquerading as a localized linear epidermal nevus (Herbst et al). 1987;16:264-6

Epidermolysis bullosa

Announcement of the National Epidermolysis Bullosa Registry (Carter) (Letter). 1987;16:1058
Epidermolysis bullosa dystrophica et albobapuloidea (Pasini) (El-Tonsy et al) (Letter). 1987;16:891-3
Epidermolysis bullosa progressiva (Haber and Hanna). 1987;16:195-200
Severe ocular involvement in a patient with epidermolysis bullosa acquisita (Lang and Tapert). 1987;16:439-43
Treatment of epidermolysis bullosa acquisita with cyclosporine (Connolly and Sander) (Letter). 1987;16:890

Epidermotropic carcinoma

Epidermotropic primary neuroendocrine (Merkel cell) carcinoma

- of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8
- Eplithaph**
Sir William Osler and the anatomical tubercle (Golden). 1987;16:1071-4
- Epithelioma**
Deep recurrent basal cell epithelioma (Leonforte) (Letter). 1987;16:1257-8
- Eruption**
Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)
Pustular eruptions following administration of cefazolin: a possible interaction with methylidopa (Stough et al) (Letter). 1987;16:1051-2
- Erythema**
Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine (van der Loos et al). 1987;16:468-72
- Erythromycin**
Erythromycin 2% gel in comparison with clindamycin phosphate 1% solution in acne vulgaris (Leyden et al). 1987;16:822-7
Topical erythromycin preparations (Fisher) (Letter). 1987;16:620
- Etretinate**
Bone changes in children on long-term treatment with etretinate (Halkier-Sorensen et al). 1987;16:999-1006
Etretinate for keratin disorders and isotretinoin for acne and not the other way around (Moncada) (Letter); (Mehregan) (Letter reply); Nguyen and Greer) (Letter reply). 1987;16:622-3
Etretinate therapy (Ellis and Voorhees). 1987;16:267-91 (CME article)
- Excision**
Use of curettage and shave excision in office practice (Cott et al). 1987;16:1243-51 (Derm. surg.)
- Extracellular deposition**
Extracellular deposition of eosinophil granule major basic protein in pressure urticaria (Peters et al). 1987;16:513-7
- Extracutaneous rosacea**
Extracutaneous rosacea is rare but does exist (Ayres) (Letter). 1987;16:391-2
- Eye**
Discoid lupus erythematosus solely involving the eyelids: report of three cases (Tosti et al) (Letter); (Ziv) (Letter reply). 1987;16:1259-60
Severe ocular involvement in a patient with epidermolysis bullosa acquisita (Lang and Tapert). 1987;16:439-43
- F**
- Facial telangiectasia**
Unilateral facial telangiectasia macularis eruptiva perstans (Fried and Lynfield). 1987;16:250-2
- Faculty**
On bringing up academic dermatologists (Weigand). 1987;16:129 (Editorial)
- Familial disease**
Familial anetoderma (Friedman et al). 1987;16:341-5
Familial granuloma annulare (Friedman and Winkelmann). 1987;16:600-5 (Clin. rev.)
Familial pemphigus vulgaris (Brenner) (Letter); (Spinowitz) (Letter reply). 1987;16:1270
Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma (Greene et al). 1987;16:792-7

- Nevoid basal cell carcinoma syndrome (Pratt and Jackson). 1987;16:964-70
Pyoderma gangrenosum in a kindred: precipitation by surgery or mild physical trauma (Shands et al). 1987;16:931-4
- Fat necrosis**
Subcutaneous fat necrosis and brown fat deficiency (Taieb et al) (Letter). 1987;16:624-5
Subcutaneous fat necrosis of the newborn with hypercalcemia (Norwood-Galloway et al). 1987;16:435-9
- Fibrofolliculomas**
Fibrofolliculomas, trichodiscomas, and acrochordons: the Birt-Hogg-Dubé syndrome (Ubogay-Rainey et al). 1987;16:452-7
- Fibroma**
Dermatofibroma occurring in a smallpox vaccination scar (Hendricks) (Letter). 1987;16:146-7
- Fibromatosis**
Juvenile hyaline fibromatosis (Camarasa and Moreno) (Letter). 1987;16:881-3
- Fire ant**
Meat tenderizer in the acute treatment of imported fire ant stings (Ross et al). 1987;16:1189-92
- Fliegel's disease**
Hyperkeratosis lenticularis perstans (Fliegel's disease): case report and literature review (Pearson et al). 1987;16:190-5
- Follicular center cell**
Primary cutaneous large cell lymphomas of follicular center cell origin (Willemze et al). 1987;16:518-26
- Follicular occlusion syndrome**
Histiocytosis X mimicking the follicular occlusion syndrome: response to local therapy (Dufresne et al) (Letter). 1987;16:385-6
- Folliculitis**
Necrotizing lymphocytic folliculitis: the early lesion of acne necrotica (varioliformis) (Kossard et al). 1987;16:1007-14
Pityrosporum folliculitis: treatment with isotretinoin (Friedman) (Letter). 1987;16:632-3
- Forearm**
Hyperkeratoses of forearms and thighs associated with chronic lung disease (Kaufman and Kaufman) (Letter). 1987;16:889-90
- Fracture of hair shaft**
Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)
- Fungoides**
Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74
- Fungus**
Complex viral and fungal skin lesions of patients with acquired immunodeficiency syndrome (Gretzula and Penneys). 1987;16:1151-4
Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)
- Fusarium**
Fusarium as a pathogen: a case report of *Fusarium* sepsis and review of the literature (Veglia and Marks). 1987;16:260-3
- G**
- Gastrointestinal hemorrhage**
Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage (Ashworth et al) (Letter). 1987;16:394-5

Gelatin matrix

Treatment of depressed cutaneous scars with gelatin matrix implant: a multicenter study. 1987;16:1155-62

Generic drugs

Generic equivalence of dermatologic products (Doering et al). 1987;16:1068-70 (Commentary)

Genetic disease

Lethal genes surviving by mosaicism: a possible explanation for sporadic birth defects involving the skin (Happle). 1987;16:899-906 (Commentary)

Nevoid basal cell carcinoma syndrome (Pratt and Jackson). 1987;16:964-70

Pyoderma gangrenosum in a kindred: precipitation by surgery or mild physical trauma (Shands et al). 1987;16:931-4

Xanthoma striatum palmare associated with multiple myeloma (Friedman and Martin) (Letter). 1987;16:1272-4

Genital tract

Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia (Rudlinger) (Letter). 1987;16:625-7

Condylomata acuminata (genital warts): an epidemiologic view (Chuang). 1987;16:376-84 (Clin. rev.)

German dermatology

A short history of German dermatology (Stuetgen). 1987;16:1061-7 (Special article)

Giant cell

Intracellular elastin in cutaneous giant cell reaction (Shum and Guenther) (Letter). 1987;16:617-9

Glomerulonephritis

Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis (Chartier et al). 1987;16:201-5

Glucagonoma

Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine (van der Loos et al). 1987;16:468-72

Gold

Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8

Gold therapy and its indications in dermatology (Thomas). 1987;16:845-54 (Therapy)

Graft-versus-host disease

Localized oral and perioral lesions in chronic graft-versus-host disease (van Joost et al) (Letter). 1987;16:138-9

Granule

Extracellular deposition of eosinophil granule major basic protein in pressure urticaria (Peters et al). 1987;16:513-7

Granuloma

Familial granuloma annulare (Friedman and Winkelmann). 1987;16:600-5 (Clin. rev.)

Granuloma formation in herpes zoster scars (Fischer and Jaworski) (Letter). 1987;16:1261-3

Solitary giant spider angioma with an overlying pyogenic granuloma (Okada) (Letter). 1987;16:1053-4

Guttate hypomelanosis

On the pathogenesis of idiopathic guttate hypomelanosis (Falabella et al). 1987;16:35-44

H**Hair; see also Alopecia**

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Hair shaft

Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

Hand

Acanthosis palmaris in a patient with bullous pemphigoid (Razack et al). 1987;16:217-9

Hard water

Hard water and skin irritation (Osborne) (Letter). 1987;16:1263-4

Hazards

The hazards of electrosurgery (Sebben). 1987;16:869-72 (Editorial)

Health maintenance organization

HMO checklist: 20 questions to ask before signing up. 1987;16:645-7 (Commentary)

Physicians who care (Bronow). 1987;16:643-7 (Commentary)

Hemidesmosome staining

Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasm et al). 1987;16:75-82

Hemifacial neurofibromas

Non-von Recklinghausen's neurofibromatosis presenting as hemifacial neurofibromas and contralateral café au lait spots (Waserteil et al). 1987;16:1090-6

Hemorrhage

Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage (Ashworth et al) (Letter). 1987;16:394-5

Hendersonula toruloides

Tinea pedis caused by *Hendersonula toruloides* (Greer and Gu-tierrez). 1987;16:1111-5

Heparin

Coumadin versus heparin necrosis (Gold et al) (Letter); (Rosen and Stone) (Letter reply). 1987;16:148-50

Hepatitis B

Peculiar papular skin lesions occurring in hepatitis B carriers (Martínez et al). 1987;16:31-4

Hereditary melanoma; see also Familial disease

Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma (Greene et al). 1987;16:792-7

Heroin

Skin abscesses caused by *Candida albicans* in heroin abusers (Podzamczak et al) (Letter). 1987;16:386-7

Herpes zoster

Granuloma formation in herpes zoster scars (Fischer and Jaworski) (Letter). 1987;16:1261-3

Herpes zoster incidence in younger age groups (Funaki and Elperin) (Letter). 1987;16:883-4

Histiocytosis X

Histiocytosis X mimicking the follicular occlusion syndrome: response to local therapy (Dufresne et al). (Letter). 1987;16:385-6

HLA; see Human lymphocyte antigen**HMO; see Health maintenance organization****Hodgkin's disease**

Lymphomatoid papulosis following Hodgkin's disease (Lederman et al). 1987;16:331-5

Human lymphocyte antigen

Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Hyaline fibromatosis

Juvenile hyaline fibromatosis (Camarasa and Moreno) (Letter). 1987;16:881-3

Hydroxychloroquine

Lupus profundus in children: treatment with hydroxychloroquine (Fox et al). 1987;16:839-44

Pustular psoriasis associated with hydroxychloroquine (Friedman) (Letter). 1987;16:1256-7

Hyperbilirubinemia

Hyperbilirubinemia in the bronze baby syndrome (Purcell et al). 1987;16:172-7

Hypercalcemia

Subcutaneous fat necrosis of the newborn with hypercalcemia (Norwood-Galloway et al). 1987;16:435-9

Hyperhidrosis

Efficacy of the Drionic unit in the treatment of hyperhidrosis (Akins et al). 1987;16:828-32

Hyperkeratoses

Hyperkeratoses of forearms and thighs associated with chronic lung disease (Kaufman and Kaufman) (Letter). 1987;16:889-90

Hyperkeratosis lenticularis perstans (Flegel's disease): case report and literature review (Pearson et al). 1987;16:190-5

Hyperpigmentation

Diffuse, progressive hyperpigmentation: an unusual skin manifestation of mycosis fungoides (David et al). 1987;16:257-60

Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6

Pachyonychia congenita with cutaneous amyloidosis and hyperpigmentation—a distinct variant (Tidman et al). 1987;16:935-40

Hyperplasia

Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4

Hypersensitivity

Cutaneous hypersensitivity to vitamin K₁ injection (Finkelstein et al). 1987;16:540-5

Hypervitaminosis A syndrome

Hypervitaminosis A syndrome: a paradigm of retinoid side effects (Silverman et al). 1987;16:1027-39 (Adverse reactions)

Hypomelanosis

On the pathogenesis of idiopathic guttate hypomelanosis (Falabella et al). 1987;16:35-44

Ichthyosis

Acquired ichthyosis associated with dermatomyositis (Urrutia et al) (Letter). 1987;16:627-9

Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma (Young and Steinman). (Letter). 1987;16:395-6

Idiopathic guttate hypomelanosis

On the pathogenesis of idiopathic guttate hypomelanosis (Falabella et al). 1987;16:35-44

Idiopathic urticaria

Controlled clinical assessment of astemizole in the treatment of chronic idiopathic urticaria and angioedema (Kailasam and Mathews). 1987;16:797-804

Immune responses

Immune responses to bovine collagen implants (McCoy et al). 1987;16:955-60

Immunodeficiency syndrome

Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma (Young and Steinman) (Letter). 1987;16:395-6

Complex viral and fungal skin lesions of patients with acquired immunodeficiency syndrome (Gretzula and Penneys). 1987;16:1151-4

Cutaneous botryomycosis in a patient with acquired immunodeficiency syndrome (Patterson et al). 1987;16:238-42

Dermatologic findings and manifestations of acquired immunodeficiency syndrome (AIDS) (Kaplan et al). 1987;16:485-506 (CME article)

Interface dermatitis in patients with the acquired immunodeficiency syndrome (Rico et al). 1987;16:1209-18

Kaposi's sarcoma and acquired immunodeficiency syndrome: post-mortem findings in twenty-four cases (Lemlich et al). 1987;16:319-25

Mucocutaneous findings in acquired immunodeficiency syndrome/AIDS-related complex patients (Triana et al) (Letter). 1987;16:888-9

Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9

Pruritus as a presenting sign of acquired immunodeficiency syndrome (Shapiro et al). 1987;16:1115-7

Immunofluorescence

Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82

Immunoglobulin A bullous dermatosis

Two types of linear IgA bullous dermatosis (Beutner et al) (Letter). 1987;16:390-1

Immunohistology

Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8

Immunohistology of pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica: evidence for their interrelationship with lymphomatoid papulosis (Wood et al). 1987;16:559-70

Immunolabeling

Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74

Implants

Connective tissue diseases and bovine collagen implants (McCoy et al). 1987;16:315-8

Immune responses to bovine collagen implants (McCoy et al). 1987;16:955-60

- Treatment of depressed cutaneous scars with gelatin matrix implant: a multicenter study. 1987;16:1155-62
- Infant; see also Child**
- Congenital pigmented and vascular lesions in newborn infants (Osburn et al). 1987;16:788-92
- Zinc deficiency in two full-term breast-fed infants (Roberts et al). 1987;16:301-4
- Infections**
- Catheter infections during continuous peritoneal dialysis (Dale and Anderson). 1987;16:205-8
- Cutaneous manifestation of disseminated infection by *Mycobacterium fortuitum* biovariant third group (Lazo-de-la-Vega et al) (Letter). 1987;16:1058-60
- Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)
- Ecology of dermatophyte infections in South Bronx, New York, 1969-1981 (McLean et al). 1987;16:336-40
- Localized cutaneous cryptococcosis successfully treated with ketoconazole (Granier et al). 1987;16:243-9
- Mycobacterium kansasii* infection with multiple cutaneous lesions (Hanke et al). 1987;16:1122-8
- Infiltrates**
- Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8
- Inflammatory reaction**
- Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6
- Inosiplex**
- A randomized double-blind study of inosiplex (Isoprinoline) therapy in patients with alopecia totalis (Galbraith et al). 1987;16:977-83
- Interface dermatitis**
- Interface dermatitis in patients with the acquired immunodeficiency syndrome (Rico et al). 1987;16:1209-18
- Interferon**
- Interferon study lacked controls (Gormley) (Letter); (Greenwat) (Letter reply). 1987;16:885
- Intradermal test**
- Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8
- Intravenous cocaine**
- Thrombotic phenomena associated with intravenous cocaine (Heng and Haberfeld). 1987;16:462-8
- Irradiation**
- Combined total body electron beam irradiation and chemotherapy for mycosis fungoides (Braverman et al). 1987;16:45-60
- Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74
- Radiation therapy in dermatologic training centers (Polano) (Letter). 1987;16:1267-8
- Irritation**
- Hard water and skin irritation (Osborne) (Letter). 1987;16:1263-4
- Isolationism**
- Medical isolationism (Weary). 1987;16:872-5 (Editorial)
- Isoprinoline**
- A randomized double-blind study of inosiplex (Isoprinoline) therapy in patients with alopecia totalis (Galbraith et al). 1987;16:977-83
- Isotretinoin**
- Etretinate for keratin disorders and isotretinoin for acne and not the other way around (Moncada) (Letter); (Mehregan) (Letter reply); (Nguyen and Greer) (Letter reply). 1987;16:622-3
- Isotretinoin treatment of pityriasis rubra pilaris (Dickens). 1987;16:297-301
- Lupus miliaris disseminatus faciei: efficacy of isotretinoin (Berbis and Privat) (Letter). 1987;16:1271-2
- Marked fall in high-density lipoprotein following isotretinoin therapy: report of a case in a weight lifter on anabolic steroids (Hoag et al) (Letter). 1987;16:1264-5
- Nummular eczema during isotretinoin treatment (Bettoli et al). 1987;16:617
- Pityrosporum* folliculitis: treatment with isotretinoin (Friedman) (Letter). 1987;16:632-3
- Itch; see Pruritus**
- J
- Juvenile hyaline fibromatosis**
- Juvenile hyaline fibromatosis (Camarasa and Moreno) (Letter). 1987;16:881-3
- K
- Kaposi's sarcoma; see also Immunodeficiency syndrome**
- Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma (Young and Steinman) (Letter). 1987;16:395-6
- The incidence of second malignancies in subsets of Kaposi's sarcoma (Piette). 1987;16:855-61 (Clin. rev.)
- Kaposi's sarcoma and acquired immunodeficiency syndrome: post-mortem findings in twenty-four cases (Lemlich et al). 1987;16:319-25
- Keratin**
- Etretinate for keratin disorders and isotretinoin for acne and not the other way around (Moncada) (Letter); (Mehregan) (Letter reply); (Nguyen and Greer) (Letter reply). 1987;16:622
- Kyrle's disease (Cunningham et al). 1987;16:117-23
- Keratinocytes**
- Effect of minoxidil on pre- and postconfluent keratinocytes (Kubilus et al). 1987;16:648-52 (Symposium)
- Keratoacanthomas**
- Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery) (Larson). 1987;16:1040-4 (Derm. surg.)
- Keratosis**
- A kindred with alopecia, keratosis pilaris, cataracts, and psoriasis (Appell and Sherertz). 1987;16:89-95
- Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses (Shelley et al). 1987;16:124-8
- Ketoconazole**
- Localized cutaneous cryptococcosis successfully treated with ketoconazole (Granier et al). 1987;16:243-9
- Topical treatment for moccasin-type tinea pedis (Greer). 1987;16:554-8
- Kidney**
- Partial lipodystrophy associated with a type 3 form of membran-

oproliferative glomerulonephritis (Chartier et al). 1987;16:201-5

Kyrle's disease

Kyrle's disease (Cunningham et al). 1987;16:117-23

L

Large cell lymphomas

Primary cutaneous large cell lymphomas of follicular center cell origin (Willemze et al). 1987;16:518-26

Laser

Carbon dioxide laser in the treatment of porokeratosis (Hunziker and Bayard) (Letter). 1987;16:625

Laugier-Hunziker syndrome

Laugier-Hunziker syndrome (Koch et al). 1987;16:431-4

Leishmania aethiopica

Leishmania aethiopica: topical treatment with paromomycin and methylbenzethonium chloride ointment (Weinrauch et al) (Letter). 1987;16:1268-70

Leishmaniasis

Clinical diagnosis of cutaneous leishmaniasis (oriental sore) (Kubba et al). 1987;16:1183-9

Leishmaniasis: the touch preparation as a rapid means of diagnosis (Berger et al). 1987;16:1096-1105

Leprosy

Leprosy and psoriasis (Lyell) (Letter); (Glickman) (Letter reply). 1987;16:620-1

Leser-Trélat sign

A case of Leser-Trélat sign (Holdiness) (Letter). 1987;16:147-8

Lethal genes

Lethal genes surviving by mosaicism: a possible explanation for sporadic birth defects involving the skin (Happle). 1987;16:899-906 (Commentary)

Letters

Correspondence. 1987;16:135-50; 385-403; 617-35; 876-94; 1050-60; 1256-76

Leukemia

Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia (Horan et al). 1987;16:458-62

Leukocytoclastic vasculitis

Sulfone therapy in the treatment of leukocytoclastic vasculitis (Frendenberg and Malkinson). 1987;16:772-8

Leukodermic dermatosis

On the pathogenesis of idiopathic guttate hypomelanosis (Falabella et al). 1987;16:35-44

Light; see Ultraviolet light

Linear immunofluorescence

Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82

Linear porokeratosis of Mibelli

Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli (Lozinski et al). 1987;16:448-51

Lipid

Xanthogranulomatosis in an adult: lipid analysis of xanthomas and plasma (Garvey et al). 1987;16:183-7

Lipodystrophy

Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis (Chartier et al). 1987;16:201-5

Lipoprotein

Lipoid proteinosis: ultrastructural and biochemical studies (Moy et al). 1987;16:1193-1201

Marked fall in high-density lipoprotein following isotretinoin therapy: report of a case in a weight lifter on anabolic steroids (Hoag et al) (Letter). 1987;16:1264-5

Lips

Laugier-Hunziker syndrome (Koch et al). 1987;16:431-4

Local anesthetics

Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8

Lung

Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4

Hyperkeratoses of forearms and thighs associated with chronic lung disease (Kaufman and Kaufman) (Letter). 1987;16:889-90

Lupus erythematosus

Antinuclear antibodies and photosensitivity in lupus erythematosus—relevant in PUVA therapy? (Tuffanelli). 1987;16:614-6 (Editorial)

Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma (Cruz et al). 1987;16:473-80

Discoid lupus erythematosus solely involving the eyelids: report of three cases (Tosti et al) (Letter); (Ziv) (Letter reply). 1987;16:1259-60

Lupus erythematosus and toxic epidermal necrolysis (Bielsa et al) (Letter). 1987;16:1265-7

Questions pertaining to the true frequencies with which anti-Ro/SS-A autoantibody and the HLA-DR3 phenotype occur in subacute cutaneous lupus erythematosus patients (Sontheimer). 1987;16:130-4 (Editorial)

Systemic lupus erythematosus in association with smoldering multiple myeloma (Sendagorta et al) (Letter). 1987;16:135-6

Lupus miliaris disseminatus faciei

Lupus miliaris disseminatus faciei: efficacy of isotretinoin (Berbis and Privat) (Letter). 1987;16:1271-2

Lupus profundus

Lupus profundus in children: treatment with hydroxychloroquine (Fox et al). 1987;16:839-44

Lymphocyte

Epidermal class II human lymphocyte antigen expression in atopic dermatitis: a comparison with experimental allergic contact dermatitis (Barker and MacDonald). 1987;16:1175-9

Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

Necrotizing lymphocytic folliculitis: the early lesion of acne necrotica (varioliiformis) (Kossard et al). 1987;16:1007-14

Lymphomas

Primary cutaneous large cell lymphomas of follicular center cell origin (Willemze et al). 1987;16:518-26

Primary cutaneous lymphoplasmacytic lymphoma (Marti et al). 1987;16:1106-10

Treatment of cutaneous T-cell lymphoma with the arotinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71

Lymphomatoid papulosis

Immunohistology of pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica: evidence for their interre-

- relationship with lymphomatoid papulosis (Wood et al). 1987;16:559-70
- Lymphomatoid papulosis following Hodgkin's disease (Lederman et al). 1987;16:331-5
- Lymphoplasia**
Benign lymphoplasia of the earlobes induced by gold earrings: immunohistologic study of the cellular infiltrates (Iwatsuki et al). 1987;16:83-8
- Lymphoplasmacytic lymphoma**
Primary cutaneous lymphoplasmacytic lymphoma (Marti et al). 1987;16:1106-10

M**Macrocomplex**

- Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses (Shelley et al). 1987;16:124-8

Macules

- PUVA-induced pigmented macules: a case involving palmoplantar skin (Bruce and Berger). 1987;16:1087-90

Male pattern baldness; see also Alopecia

- Effect of time on male pattern baldness (Epstein) (Letter); (Olsen et al) (Letter reply). 1987;16:392-3
- Effect of ultraviolet light on topical minoxidil-induced hair growth in advanced male pattern baldness (Pestana et al). 1987;16:971-6
- Serum elevation of dehydroepiandrosterone sulfate associated with male pattern baldness in young men (Pitts). 1987;16:571-3

Malignancy; see also Cancer; Carcinoma; Neoplasia; specific disease

- The incidence of second malignancies in subsets of Kaposi's sarcoma (Piette). 1987;16:855-61 (Clin. Rev.)
- Itch and malignancy prognosis in generalized pruritus: a six year follow-up of 125 patients (Paul et al). 1987;16:1179-82

Malignant pyoderma

- Malignant pyoderma (Aram) (Letter); (Dicken) (Letter reply). 1987;16:392

Mast cells

- Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31

Meat tenderizer

- Meat tenderizer in the acute treatment of imported fire ant stings (Ross et al). 1987;16:1189-92

Medical isolationism

- Medical isolationism (Weary). 1987;16:872-5 (Editorial)

Medical kits

- Commercial air travel and medical kits (Goodman) (Letter). 1987;16:634

Melanoma

- Campaigns for the detection and prevention of melanoma and skin cancers (Arundell). 1987;16:406-7 (Editorial)
- Cutaneous malignant melanoma (Kopf and Maize). 1987;16:610-3 (Periodic synopsis)
- Desmoplastic melanoma of the penis (Jorda et al) (Letter). 1987;16:619-20
- Hereditary melanoma and the dysplastic nevus syndrome: the risk of cancers other than melanoma (Greene et al). 1987;16:792-7
- Melanoma and the atypical nevus (Fusaro and Lynch) (Letter); (Sagebiel) (Letter reply). 1987;16:884-5

- Melanoma/skin cancer screening in Michigan (Field). 1987;16:578-83

- Melanoma/skin cancer screening program in a private office setting (Fixler) (Letter). 1987;16:634-5

- Melanomas arising in married couples (Marcus) (Letter). 1987;16:400-1

- A possible new tool for clinical diagnosis of melanoma: the computer (Cascinelli et al). 1987;16:361-7

Melanonychia

- Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33

Melanophages

- Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6

Melanosome macrocomplex

- Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses (Shelley et al). 1987;16:124-8

Membrane

- Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82
- Multiple clear cell acanthomas (Baden et al). 1987;16:1075-8

Membranoproliferative glomerulonephritis

- Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis (Chartier et al). 1987;16:201-5

Merkel cell carcinoma

- Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8

Metabolic disorder

- Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Metaplasia

- Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia (Horan et al). 1987;16:458-62

Metastasis

- Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli (Lozinski et al). 1987;16:448-51

Methotrexate

- Pulmonary complications following methotrexate therapy (Phillips et al). 1987;16:373-5 (Adverse reactions)

Methoxsalen

- Comparative efficacy of two dosage forms of oral methoxsalen in psoralens plus ultraviolet A therapy of psoriasis (Lowe et al). 1987;16:994-8

- Skin tumors in the European PUVA Study: eight-year follow-up of 1,643 patients treated with PUVA for psoriasis (Henseler et al). 1987;16:108-16

Methylbenzethonium chloride

- Leishmania aethiopica*: topical treatment with paromomycin and methylbenzethonium chloride ointment (Weinrauch et al) (Letter). 1987;16:1268-70

Methyldopa

- Pustular eruptions following administration of cefazolin: a possible interaction with methyldopa (Stough et al) (Letter). 1987;16:1051-2

Microabscess

Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8

Micrographic surgery

Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery) (Larson). 1987;16:1040-4 (Derm. surg.)

Microscopy

Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74

The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Microsporum canis

The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Migratory erythema

Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine (van der Loos et al). 1987;16:468-72

Milia

Syringoma presenting as milia (Friedman and Butler). 1987;16:310-4

Minoxidil

Action of topical minoxidil in the bald stump-tailed macaque (Uno et al). 1987;16:657-68 (Symposium)

Androgenetic alopecia treated with topical minoxidil (De Villez). 1987;16:669-72 (Symposium)

Androgenetic alopecia: treatment results with topical minoxidil (Roberts). 1987;16:705-10 (Symposium)

Deaths occurring during clinical studies of topical minoxidil (Spindler). 1987;16:725-9 (Symposium)

Dose-response study of topical minoxidil in male pattern alopecia (Shupack et al). 1987;16:673-6 (Symposium)

Double-blind, placebo-controlled evaluation of topical minoxidil in extensive alopecia areata (Price). 1987;16:730-6 (Symposium)

Effect of minoxidil on pre- and postconfluent keratinocytes (Kubilus et al). 1987;16:648-52 (Symposium)

Effect of ultraviolet light on topical minoxidil-induced hair growth in advanced male pattern baldness (Pestana et al). 1987;16:971-6

A falling out following minoxidil: telogen effluvium (Bamford) (Letter); (Olsen) (Letter reply). 1987;16:144-6

Long-term efficacy of topical minoxidil in male pattern baldness (Katz et al). 1987;16:711-7 (Symposium)

Long-term follow-up of men with male pattern baldness treated with topical minoxidil (Olsen et al). 1987;16:688-95 (Symposium)

Potential mechanisms of minoxidil-induced hair growth in alopecia areata (Fiedler-Weiss). 1987;16:653-6 (Symposium)

Safety and efficacy of topical minoxidil in the management of androgenetic alopecia (Rietschel and Duncan). 1987;16:677-84 (Symposium)

Topical minoxidil in early androgenetic alopecia (Kreindler). 1987;16:718-24 (Symposium)

Topical minoxidil (3%) in extensive alopecia areata, including long-term efficacy (Price). 1987;16:737-44 (Symposium)

Topical minoxidil solution (1% and 5%) in the treatment of alopecia areata (Fiedler-Weiss). 1987;16:745-8 (Symposium)

Use of topical minoxidil as a possible adjunct to hair transplant surgery (Kassimir). 1987;16:685-7 (Symposium)

Use of topical minoxidil in the treatment of male pattern baldness (Savin). 1987;16:696-704 (Symposium)

Mohs' procedure

Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery) (Larson). 1987;16:1040-4 (Derm. surg.)

Monocytes

The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75

Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6

Morphometric point counting

Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31

Mosaicism

Lethal genes surviving by mosaicism: a possible explanation for sporadic birth defects involving the skin (Happle). 1987;16:899-906 (Commentary)

Mucinosis

Cutaneous mucinosis in the toxic oil syndrome (Fonseca and Contreras) (Letter). 1987;16:139-40

Mucocutaneous findings

Mucocutaneous findings in acquired immunodeficiency syndrome/AIDS-related complex patients (Triana et al) (Letter). 1987;16:888-9

Mucosa

Laugier-Hunziker syndrome (Koch et al). 1987;16:431-4

Mutation

PIBI(D)S syndrome-trichothiodystrophy with xeroderma pigmentosum (group D) mutation (Rebora and Crovato). 1987;16:940-7

Myasthenia gravis

Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma (Cruz et al). 1987;16:473-80

Mycobacterium fortuitum

Cutaneous manifestation of disseminated infection by *Mycobacterium fortuitum* biovariant third group (Lazo-de-la-Vega et al) (Letter). 1987;16:1058-60

Mycobacterium kansasii

Mycobacterium kansasii infection with multiple cutaneous lesions (Hanke et al). 1987;16:1122-8

Mycosis fungoides

Combined total body electron beam irradiation and chemotherapy for mycosis fungoides (Braverman et al). 1987;16:45-60

Diffuse, progressive hyperpigmentation: an unusual skin manifestation of mycosis fungoides (David et al). 1987;16:257-60

Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74

Treatment of cutaneous T-cell lymphoma with the arotinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71

Myeloid metaplasia

Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia (Horan et al). 1987;16:458-62

Myeloma

Systemic lupus erythematosus in association with smoldering multiple myeloma (Sendagorta et al) (Letter). 1987;16:135-6

Xanthoma striatum palmare associated with multiple myeloma (Friedman and Martin) (Letter). 1987;16:1272-4

Myotonic dystrophy

Pilomatricomas associated with myotonic dystrophy (Schwartz and Peraza) (Letter). 1987;16:887-8

Myxoma

Alopecia associated with underlying nerve sheath myxoma (Burket). 1987;16:209-11

N**Nail**

Laugier-Hunziker syndrome (Koch et al). 1987;16:431-4

Nail changes associated with diabetes mellitus (Greene and Scher). 1987;16:1015-21 (Clin. rev.)

Reflex sympathetic dystrophy following nail biopsy (Ingram et al). 1987;16:253-6

Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33

National Epidermolysis Bullosa Registry

Announcement of the National Epidermolysis Bullosa Registry (Carter) (Letter). 1987;16:1058

Necrolysis

Lupus erythematosus and toxic epidermal necrolysis (Bielsa et al) (Letter). 1987;16:1265-7

Successful treatment of glucagonoma-related necrolytic migratory erythema with dacarbazine (van der Loos et al). 1987;16:468-72

Toxic epidermal necrolysis: an approach to management using cryopreserved allograft skin (Birchall et al). 1987;16:368-72

Necrosis

Coumadin versus heparin necrosis (Gold et al) (Letter); (Rosen and Stone) (Letter reply). 1987;16:148-9

Pyoderma gangrenosum in a kindred: precipitation by surgery or mild physical trauma (Shands et al). 1987;16:931-4

Subcutaneous fat necrosis and brown fat deficiency (Taieb et al) (Letter). 1987;16:624-5

Subcutaneous fat necrosis of the newborn with hypercalcemia (Norwood-Galloway et al). 1987;16:435-9

Necrotizing lymphocytic folliculitis

Necrotizing lymphocytic folliculitis: the early lesion of acne necrotica (varioliiformis) (Kossard et al). 1987;16:1007-14

Neonates

Congenital pigmented and vascular lesions in newborn infants (Osburn et al). 1987;16:788-92

Neoplasia; see also Cancer; Carcinoma

Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia (Rudlinger) (Letter). 1987;16:625-7

Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4

Treatment of cutaneous T-cell lymphoma with the arotinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71

Nephritis

Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis (Chartier et al). 1987;16:201-5

Nerve sheath myxoma

Alopecia associated with underlying nerve sheath myxoma (Burket). 1987;16:209-11

Neuroendocrine carcinoma

Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8

Neurofibromatosis

Non-von Recklinghausen's neurofibromatosis presenting as hemifacial neurofibromas and contralateral café au lait spots (Wasserteil et al). 1987;16:1090-6

Neutropenia

Chloroquine-induced neutropenia in a patient with dermatomyositis (Don et al) (Letter). 1987;16:629-30

Neutrophil

The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75

Nevoid basal cell carcinoma

Nevoid basal cell carcinoma syndrome (Pratt and Jackson). 1987;16:964-70

Unilateral nevoid basal cell carcinoma syndrome (Camisa) (Letter); (Mora) (Letter reply). 1987;16:1270-1

Nevus

Connective tissue nevus masquerading as a localized linear epidermal nevus (Herbst et al). 1987;16:264-6

Melanoma and the atypical nevus (Fusaro and Lynch) (Letter); (Sagebiel) (Letter reply). 1987;16:884-5

Newborn

Subcutaneous fat necrosis of the newborn with hypercalcemia (Norwood-Galloway et al). 1987;16:435-9

Nickel sensitivity

Earrings for nickel-sensitive women (Dobson) (Letter); (Fisher) (Letter reply). 1987;16:631

Nikolsky sign

Who is Nikolsky and what does his sign mean? (Doubleday) (Letter). 1987;16:1054-5

Nipple

Coexistent pemphigus vulgaris and Paget's disease of the nipple: an immunohistochemical study (Rae et al). 1987;16:235-7

Nodular subcutaneous abscesses

Nodular subcutaneous abscesses caused by *Candida tropicalis* (Benson et al) (Letter). 1987;16:623-4

Nonsteroidal anti-inflammatory drugs

Pharmacology and significance of nonsteroidal anti-inflammatory drugs in the treatment of skin diseases (Greaves). 1987;16:751-64 (CME article)

Non-von Recklinghausen's neurofibromatosis

Non-von Recklinghausen's neurofibromatosis presenting as hemifacial neurofibromas and contralateral café au lait spots (Wasserteil et al). 1987;16:1090-6

Norwegian scabies

Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9

Nummular eczema

Nummular eczema during isotretinoin treatment (Bettoli et al). 1987;16:617

O

Ocular disease

Severe ocular involvement in a patient with epidermolysis bullosa acquisita (Lang and Tapert). 1987;16:439-43

Office practice

Use of curettage and shave excision in office practice (Cott et al). 1987;16:1243-51 (Derm. surg.)

Ointment

Leishmania aethiopica: topical treatment with paromomycin and methylbenzethonium chloride ointment (Weinrauch et al) (Letter). 1987;16:1268-70

Oral mucosa

Laugier-Hunziker syndrome (Koch et al). 1987;16:431-4

Oriental sore

Clinical diagnosis of cutaneous leishmaniasis (oriental sore) (Kubba et al). 1987;16:1183-9

Osler, Sir William

Sir William Osler and the anatomical tubercle (Golden). 1987;16:1071-4

Osteoma

Platelike cutaneous osteoma (Monroe et al). 1987;16:481-4

P

PA Patch

PA Patch—a new patch testing device (Marks et al). 1987;16:961-3

Pachyonychia congenita

Pachyonychia congenita with cutaneous amyloidosis and hyperpigmentation—a distinct variant (Tidman et al). 1987;16:935-40

Paget's disease

Coexistent pemphigus vulgaris and Paget's disease of the nipple: an immunohistochemical study (Rae et al). 1987;16:235-7

Palm

Acanthosis palmaris in a patient with bullous pemphigoid (Razack et al). 1987;16:217-9

Purpuric papules and vesicles of the palms in dermatitis herpetiformis (Pierce et al) (Letter). 1987;16:1274-6

PUVA-induced pigmented macules: a case involving palmoplantar skin (Bruce and Berger). 1987;16:1087-90

Xanthoma striatum palmare associated with multiple myeloma (Friedman and Martin) (Letter). 1987;16:1272-4

Papillomatosis

Confluent and reticulated papillomatosis (El-Tonsy et al) (Letter). 1987;16:893-4

Papular lesions

Peculiar papular skin lesions occurring in hepatitis B carriers (Martinez et al). 1987;16:31-4

Purpuric papules and vesicles of the palms in dermatitis herpetiformis (Pierce et al) (Letter). 1987;16:1274-6

Papulosis

Bowenoid papulosis of the male and female genital tracts: risk of cervical neoplasia (Rudlinger) (Letter). 1987;16:625-7

Immunohistology of pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica: evidence for their interrelationship with lymphomatoid papulosis (Wood et al). 1987;16:559-70

Lymphomatoid papulosis following Hodgkin's disease (Lederman et al). 1987;16:331-5

Papulosquamous eruption

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Paraproteinemia

Paraproteinemia in patients with scleredema: clinical findings and serum effects on skin fibroblasts in vitro (Ohta et al). 1987;16:96-107

Parasitic disease

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Paromomycin

Leishmania aethiopica: topical treatment with paromomycin and methylbenzethonium chloride ointment (Weinrauch et al) (Letter). 1987;16:1268-70

Patch test

Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8

PA Patch—a new patch testing device (Marks et al). 1987;16:961-3

Pautrierlike microabscess

Epidermotropic primary neuroendocrine (Merkel cell) carcinoma of the skin with Pautrierlike microabscesses (Rocamora et al). 1987;16:1163-8

Pemphigoid

Acanthosis palmaris in a patient with bullous pemphigoid (Razack et al). 1987;16:217-9

Blood eosinophilia as a severity marker for bullous pemphigoid (Bernard et al) (Letter). 1987;16:879-81

Bullous pemphigoid (Korman). 1987;16:907-24

Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82

Pemphigus

Azathioprine in the treatment of pemphigus vulgaris (Aberer et al). 1987;16:527-33

Coexistent pemphigus vulgaris and Paget's disease of the nipple: an immunohistochemical study (Rae et al). 1987;16:235-7

Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma (Cruz et al). 1987;16:473-80

Death in pemphigus vulgaris caused by lower gastrointestinal hemorrhage (Ashworth et al) (Letter). 1987;16:394-5

Familial pemphigus vulgaris (Brenner) (Letter); (Spinowitz) (Letter reply). 1987;16:1270

Penis

Desmoplastic melanoma of the penis (Jorda et al) (Letter). 1987;16:619-20

Periodic synopsis

Periodic synopsis. 1987;16:410-2; 610-3

Peritoneal dialysis

Catheter infections during continuous peritoneal dialysis (Dale and Anderson). 1987;16:205-8

Pharmacology; see also Drug

Pharmacology and significance of nonsteroidal anti-inflammatory drugs in the treatment of skin diseases (Greaves). 1987;16:751-64 (CME article)

Photosensitivity

Antinuclear antibodies and photosensitivity in lupus erythemato-

- sus—relevant in PUVA therapy? (Tuffanelli). 1987;16:614-6 (Editorial)
- Argyria: the intradermal "photograph," a manifestation of passive photosensitivity (Shelley et al). 1987;16:211-7
- Comparison of methods for assessing photoprotection against ultraviolet A in vivo (Kaidbey and Gange). 1987;16:346-53
- Cutaneous ultrastructural changes and photosensitivity associated with amiodarone therapy (Waitzer et al). 1987;16:779-87
- Phototherapy; see also Ultraviolet light**
- Hyperbilirubinemia in the bronze baby syndrome (Purcell et al). 1987;16:172-7
- Physicians who care**
- Physicians who care (Bronow). 1987;16:643-7 (Commentary)
- PIBI(D)S syndrome**
- PIBI(D)S syndrome-trichothiodystrophy with xeroderma pigmentosum (group D) mutation (Rebora and Crovato). 1987;16:940-7
- Pigmentation**
- Argyria: the intradermal "photograph," a manifestation of passive photosensitivity (Shelley et al). 1987;16:211-7
- Childhood vitiligo (Halder et al). 1987;16:948-54
- Congenital pigmented and vascular lesions in newborn infants (Osburn et al). 1987;16:788-92
- Diffuse, progressive hyperpigmentation: an unusual skin manifestation of mycosis fungoides (David et al). 1987;16:257-60
- Inflammatory acquired oral hyperpigmentation: association with melanophages demonstrating phenotypic characteristics of antigen presenting cells and activated monocytes (James et al). 1987;16:220-6
- Langier-Hunziker syndrome (Koch et al). 1987;16:431-4
- Pachyonychia congenita with cutaneous amyloidosis and hyperpigmentation—a distinct variant (Tidman et al). 1987;16:935-40
- Pigmentary demarcation lines: a population survey (James et al). 1987;16:584-90
- PUVA-induced pigmented macules: a case involving palmoplantar skin (Bruce and Berger). 1987;16:1087-90
- Pilomatricomas**
- Pilomatricomas associated with myotonic dystrophy (Schwartz and Peraza) (Letter). 1987;16:887-8
- Pityriasis**
- Immunohistology of pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica: evidence for their interrelationship with lymphomatoid papulosis (Wood et al). 1987;16:559-70
- Isotretinoin treatment of pityriasis rubra pilaris (Dicken). 1987;16:297-301
- Pityriasis rosea of Gibert (Feinstein and Kahana) (Letter); (Parsons) (Letter reply). 1987;16:1260-1
- Pityrosporum**
- Pityrosporum* folliculitis: treatment with isotretinoin (Friedman) (Letter). 1987;16:632-3
- Platelike cutaneous osteoma**
- Platelike cutaneous osteoma (Monroe et al). 1987;16:481-4
- Point counting**
- Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31
- Polycythemia myeloid metaplasia**
- Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia (Horan et al). 1987;16:458-62
- Polyps**
- Skin tags and colonic polyps (Alcalay) (Letter); (Arnold) (Letter); (Lubach and Banik) (Letter); (Beitler) (Letter reply). 1987;16:402-3
- Skin tags and colonic polyps—a gastroenterologist's perspective (Chobanian). 1987;16:407-9 (Editorial)
- Porokeratosis**
- Carbon dioxide laser in the treatment of porokeratosis (Hunziker and Bayard) (Letter). 1987;16:625
- Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli (Lozinski et al). 1987;16:448-51
- Pregnancy**
- Accutane and pregnancy prevention (Yoder) (Letter). 1987;16:140-1
- Pressure urticaria**
- Extracellular deposition of eosinophil granule major basic protein in pressure urticaria (Peters et al). 1987;16:513-7
- Prick test**
- Allergy to local anesthetics: comparison of patch test with prick and intradermal test results (Ruzicka et al). 1987;16:1202-8
- Proteinosis**
- Lipoid proteinosis: ultrastructural and biochemical studies (Moy et al). 1987;16:1193-1201
- Pruritus**
- Itch and malignancy prognosis in generalized pruritus: a six year follow-up of 125 patients (Paul et al). 1987;16:1179-82
- Pruritus as a presenting sign of acquired immunodeficiency syndrome (Shapiro et al). 1987;16:1115-7
- Psoralen; see also PUVA therapy**
- Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? (Picascia et al). 1987;16:574-7
- Comparative efficacy of two dosage forms of oral methoxsalen in psoralens plus ultraviolet A therapy of psoriasis (Lowe et al). 1987;16:994-8
- The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75
- Psoriasis**
- Comparative efficacy of two dosage forms of oral methoxsalen in psoralens plus ultraviolet A therapy of psoriasis (Lowe et al). 1987;16:994-8
- The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75
- A kindred with alopecia, keratosis pilaris, cataracts, and psoriasis (Appell and Sherertz). 1987;16:89-95
- Leprosy and psoriasis (Lyell) (Letter); (Glickman) (Letter reply). 1987;16:620-1
- Pustular psoriasis associated with hydroxychloroquine (Friedman) (Letter). 1987;16:1256-7
- The release and percutaneous permeation of anthralin products, using clinically involved and uninvolved psoriatic skin (Wang et al). 1987;16:812-21
- Superpotent topical steroid treatment of psoriasis vulgaris—clinical efficacy and adrenal function (Katz et al). 1987;16:804-11
- Psoriatic arthritis**
- Treatment of psoriatic arthritis with bromocriptine (Weber and Frey) (Letter). 1987;16:388-9
- Pulmonary disease**
- Coexistence of angiolymphoid hyperplasia with eosinophilia and

- pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4
- Pulmonary complications following methotrexate therapy (Phillips et al). 1987;16:373-5 (Adverse reactions)
- Purpuric papule**
Purpuric papules and vesicles of the palms in dermatitis herpetiformis (Pierce et al) (Letter). 1987;16:1274-6
- Pustular eruptions**
Pustular eruptions following administration of cefazolin: a possible interaction with methyl dopa (Stough et al) (Letter). 1987;16:1051-2
- Pustular psoriasis associated with hydroxychloroquine (Friedman) (Letter). 1987;16:1256-7
- Sterile eosinophilic pustulosis in dog and man: comparative aspects (Scott). 1987;16:1022-6 (Clin. rev.)
- PUVA therapy**
Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? (Picascia et al). 1987;16:574-7
- Antinuclear antibodies and photosensitivity in lupus erythematosus—relevant in PUVA therapy? (Tuffanelli). 1987;16:614-6 (Editorial)
- Bronchial reactions to photochemotherapy (PUVA) (Anderson et al) (Letter). 1987;16:389-90
- PUVA-induced pigmented macules: a case involving palmoplantar skin (Bruce and Berger). 1987;16:1087-90
- Skin tumors in the European PUVA Study: eight-year follow-up of 1,643 patients treated with PUVA for psoriasis (Henseler et al). 1987;16:108-16
- Topical (bathwater) PUVA therapy (Gange and Anderson) (Letter); (Lowe and Weingarten) (Letter reply). 1987;16:401-2
- Pyoderma**
Malignant pyoderma (Aram) (Letter); (Dicken) (Letter reply). 1987;16:392
- Pyoderma gangrenosum in a kindred: precipitation by surgery or mild physical trauma (Shands et al). 1987;16:931-4
- Pyoderma gangrenosum with simultaneous contiguous arthritis (Meirson et al) (Letter). 1987;16:141-2
- Pyogenic granuloma**
Solitary giant spider angioma with an overlying pyogenic granuloma (Okada) (Letter). 1987;16:1053-4
- R**
- Radiation therapy; see also Irradiation**
Radiation therapy in dermatologic training centers (Polano) (Letter). 1987;16:1267-8
- Rash**
"A ring around the rosie" (the rash that was) (Glickman). 1987;16:1282-8 (Commentary)
- Registry**
Announcement of the National Epidermolysis Bullosa Registry (Carter) (Letter). 1987;16:1058
- Renal disease**
Partial lipodystrophy associated with a type 3 form of membranoproliferative glomerulonephritis (Chartier et al). 1987;16:201-5
- Residency**
Basic science conferences in residency training: a national survey (Cruz et al). 1987;16:413-9 (Special article)
- Essentials for specialty and subspecialty training in dermatology. 1987;16:151-60 (Special article)

Respiratory disease

- Coexistence of angiolymphoid hyperplasia with eosinophilia and pulmonary neoplasia (Dupre and Viraben) (Letter). 1987;16:142-4
- Pulmonary complications following methotrexate therapy (Phillips et al). 1987;16:373-5 (Adverse reactions)
- Reticuloid**
Actinic reticuloid in a black man: successful therapy with azathioprine (Kingston et al). 1987;16:1079-83
- Retinoid**
Etretinate therapy (Ellis and Voorhees). 1987;16:267-91 (CME article)
- Hypervitaminosis A syndrome: a paradigm of retinoid side effects (Silverman et al). 1987;16:1027-39 (Adverse reactions)
- Retired doctors club**
Retired doctors club (Foerster) (Letter). 1987;16:401
- Reviewers**
Reviewers for volumes 15 and 16. 1987;16:1252-5
- Reviews**
Book reviews. 1987;16:161-6; 420-4; 895-8; 1277-81
- Computer review. 1987;16:606-9
- Ro 13-6298**
Treatment of cutaneous T-cell lymphoma with the retinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71
- Rosacea**
Extracutaneous rosacea is rare but does exist (Ayres) (Letter). 1987;16:391-2
- Rower's rump**
Rower's rump (Tomecki and Mikesell) (Letter). 1987;16:890-1
- S**
- Safety**
Safety and efficacy of topical minoxidil in the management of androgenetic alopecia (Rietschel and Duncan). 1987;16:677-84 (Symposium)
- Salicylic acid**
Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7
- Sarcoidosis**
Cutaneous sarcoidosis in Caucasians (Veien et al). 1987;16:534-40
- Sarcoma**
Acquired ichthyosis in a patient with acquired immunodeficiency syndrome and Kaposi's sarcoma (Young and Steinman) (Letter). 1987;16:395-6
- The incidence of second malignancies in subsets of Kaposi's sarcoma (Piette). 1987;16:855-61 (Clinical Rev.)
- Kaposi's sarcoma and acquired immunodeficiency syndrome: post-mortem findings in twenty-four cases (Lemlich et al). 1987;16:319-25
- Scabies**
Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9
- Scanning electron microscopy**
The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Scars

- Dermatofibroma occurring in a smallpox vaccination scar (Hendricks) (Letter). 1987;16:146-7
- Granuloma formation in herpes zoster scars (Fischer and Jaworski) (Letter). 1987;16:1261-3
- Treatment of depressed cutaneous scars with gelatin matrix implant: a multicenter study. 1987;16:1155-62

Sclerodema

- Paraproteinemia in patients with sclerodema: clinical findings and serum effects on skin fibroblasts in vitro (Ohta et al). 1987;16:96-107

Scleromyxedema

- Paraproteinemia in patients with sclerodema: clinical findings and serum effects on skin fibroblasts in vitro (Ohta et al). 1987;16:96-107

Screening

- Melanoma/skin cancer screening in Michigan (Field). 1987;16:578-83
- Melanoma/skin cancer screening program in a private office setting (Fixler) (Letter). 1987;16:634-5
- Skin cancer screening—a local experience (Olsen et al). 1987;16:637-42 (Special article)

Seborrheic keratosis

- Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses (Shelley et al). 1987;16:124-8

Sensitizers

- Benzocaine and bacitracin as sensitizers (Leyden) (Letter); (Fisher and Admas) (Letter reply). 1987;16:1055

Sepsis

- Cutaneous manifestations of *Corynebacterium* group JK sepsis (Jerdan et al). 1987;16:444-7
- Fusarium* as a pathogen: a case report of *Fusarium* sepsis and review of the literature (Veglia and Marks). 1987;16:260-3
- Norwegian scabies in acquired immunodeficiency syndrome: report of a case resulting in death from associated sepsis (Glover et al) (Letter). 1987;16:396-9

Shaft

- Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

Shave excision

- Use of curettage and shave excision in office practice (Cott et al). 1987;16:1243-51 (Derm. surg.)

Shock syndrome

- Toxic shock syndrome as a complication of dermatologic surgery (Huntley and Tanabe). 1987;16:227-9

Sign

- A case of Leser-Trélat sign (Holdiness) (Letter). 1987;16:147-8
- Who is Nikolsky and what does his sign mean? (Doubleday) (Letter). 1987;16:1054-5

Silver nitrate

- Argyria: the intradermal "photograph," a manifestation of passive photosensitivity (Shelley et al). 1987;16:211-7

Skin cancer screening

- Melanoma/skin cancer screening program in a private office setting (Fixler) (Letter). 1987;16:634-5
- Skin cancer screening—a local experience (Olsen et al). 1987;16:637-42 (Special article)

Skin tags

- Skin tags and colonic polyps (Alcalay) (Letter); (Arnold) (Letter);

- (Lubach and Banik) (Letter); (Beitler) (Letter reply). 1987;16:402-3

- Skin tags and colonic polyps—a gastroenterologist's perspective (Chobanian). 1987;16:407-9 (Editorial)

Smallpox

- Dermatofibroma occurring in a smallpox vaccination scar (Hendricks) (Letter). 1987;16:146-7
- "A ring around the rosie" (the rash that was) (Glickman). 1987;16:1282-8 (Commentary)

Sneddon's syndrome

- Sneddon's syndrome (Deffer et al). 1987;16:1084-7

Special article

- Special article. 1987;16:1061-7

Specialty training

- Essentials for specialty and subspecialty training in dermatology. 1987;16:151-60 (Special article)

Spider

- Free spider identification (Anderson) (Letter). 1987;16:630

Spider angioma

- Solitary giant spider angioma with an overlying pyogenic granuloma (Okada) (Letter). 1987;16:1053-4

Squamous cell carcinoma

- Metastatic squamous cell carcinoma in linear porokeratosis of Mibelli (Lozinski et al). 1987;16:448-51

Squaric acid dibutylester

- Squaric acid dibutylester in alopecia areata: is discomfort really necessary? (Orecchia and Rabbiosi) (Letter). 1987;16:876

Staining

- Linear immunofluorescence staining of the cutaneous basement membrane zone produced by pemphigoid antibodies: the result of hemidesmosome staining (Mutasim et al). 1987;16:75-82
- Quantification of cutaneous mast cells using morphometric point counting and a conjugated avidin stain (Kasper and Tharp). 1987;16:326-31

Staphylococcus aureus

- Toxic shock syndrome as a complication of dermatologic surgery (Huntley and Tanabe). 1987;16:227-9

Steroid

- Marked fall in high-density lipoprotein following isotretinoin therapy: report of a case in a weight lifter on anabolic steroids (Hoag et al) (Letter). 1987;16:1264-5
- Superpotent topical steroid treatment of psoriasis vulgaris—clinical efficacy and adrenal function (Katz et al). 1987;16:804-11

Stings

- Meat tenderizer in the acute treatment of imported fire ant stings (Ross et al). 1987;16:1189-92

Structural abnormalities

- Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

Subungual disease

- Subungual basal cell carcinoma presenting as longitudinal melanonychia (Rudolph). 1987;16:229-33

Sulfone

- Sulfone therapy in the treatment of leukocytoclastic vasculitis (Frendenberg and Malkinson). 1987;16:772-8

Sunlight

- Urticaria pigmentosa and sunlight (Roupe) (Letter). 1987;16:387-8

Surgery

- Keratoacanthomas treated with Mohs' micrographic surgery (chemosurgery) (Larson). 1987;16:1040-4 (Derm. surg.)

- Toxic shock syndrome as a complication of dermatologic surgery (Huntley and Tanabe). 1987;16:227-9
- Sweat**
Efficacy of the Drionic unit in the treatment of hyperhidrosis (Akins et al). 1987;16:828-32
- Sweet's syndrome**
Postpolycythemia myeloid metaplasia, Sweet's syndrome, and acute myeloid leukemia (Horan et al). 1987;16:458-62
- Sympathetic dystrophy**
Reflex sympathetic dystrophy following nail biopsy (Ingram et al). 1987;16:253-6
- Symposium**
Rogaine (topical minoxidil, 2%) in the management of male pattern baldness and alopecia areata. 1987;16:647-750
- Syringoma**
Syringoma presenting as milia (Friedman and Butler). 1987;16:310-4
- Systemic lupus erythematosus**; see **Lupus erythematosus**
- T
- Tags**; see **Skin tags**
- Tan accelerators**
Efficacy of tan accelerators (Jaworsky et al). 1987;16:769-71
- T-cell lymphoma**
Treatment of cutaneous T-cell lymphoma with the arotinoid Ro 13-6298 (Tousignant et al). 1987;16:167-71
- Telangiectasia**
Unilateral facial telangiectasia macularis eruptiva perstans (Fried and Lynfield). 1987;16:250-2
- Telogen effluvium**; see also **Alopecia**
A falling out following minoxidil: telogen effluvium (Bamford) (Letter); (Olsen) (Letter reply). 1987;16:144-5
Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)
- Testing**
PA Patch—a new patch testing device (Marks et al). 1987;16:961-3
- Tetracycline**
Bullous pemphigoid controlled by tetracycline (Thornfeldt and Menkes). 1987;16:305-10
- Therapy**
Therapy. 1987;16:591-9; 845-54; 1219-25
- Thick skin**
Pathologic features of diabetic thick skin (Hanna et al). 1987;16:546-53
- Thigh**
Hyperkeratoses of forearms and thighs associated with chronic lung disease (Kaufman and Kaufman) (Letter). 1987;16:889-90
- Thrombosis**
Thrombotic phenomena associated with intravenous cocaine (Heng and Haberfeld). 1987;16:462-8
- Thymoma**
Concurrent features of cutaneous lupus erythematosus and pemphigus erythematosus following myasthenia gravis and thymoma (Cruz et al). 1987;16:473-80
- Tinea capitis**
The infected hairs of tinea capitis due to *Microsporum canis*: demonstration of uniqueness of the hair cuticle by scanning electron microscopy (Shelley et al). 1987;16:354-61

Tinea pedis

- Tinea pedis caused by *Hendersonula toruloides* (Greer and Gu-tierrez). 1987;16:1111-5
- Topical treatment for moccasin-type tinea pedis (Greer). 1987;16:554-8
- Topical therapy**
Superpotent topical steroid treatment of psoriasis vulgaris—clinical efficacy and adrenal function (Katz et al). 1987;16:804-11
Topical erythromycin preparations (Fisher) (Letter). 1987;16:620
Topical treatment for moccasin-type tinea pedis (Greer). 1987;16:554-8
- Total body electron beam irradiation**
Combined total body electron beam irradiation and chemotherapy for mycosis fungoides (Braverman et al). 1987;16:45-60
Electron microscopic and immunolabeling studies of the lesional and normal skin of patients with mycosis fungoides treated by total body electron beam irradiation (Braverman et al). 1987;16:61-74
- Toxic epidermal necrolysis**
Toxic epidermal necrolysis: an approach to management using cryopreserved allograft skin (Birchall et al). 1987;16:368-72
- Toxic oil syndrome**
Cutaneous mucinosis in the toxic oil syndrome (Fonseca and Contreras) (Letter). 1987;16:139-40
- Toxic shock syndrome**
Toxic shock syndrome as a complication of dermatologic surgery (Huntley and Tanabe). 1987;16:227-9
- Training**
Basic science conferences in residency training: a national survey (Cruz et al). 1987;16:413-9 (Special article)
On bringing up academic dermatologists (Weigand). 1987;16:129 (Editorial)
Essentials for specialty and subspecialty training in dermatology. 1987;16:151-60 (Special article)
Radiation therapy in dermatologic training centers (Polano) (Letter). 1987;16:1267-8
- Transplant**
Use of topical minoxidil as a possible adjunct to hair transplant surgery (Kassimir). 1987;16:685-7 (Symposium)
- Triangular alopecia**
Congenital triangular alopecia (Tosti). 1987;16:991-3
- Trichodiscomas**
Fibrofolliculomas, trichodiscomas, and acrochordons: the Birt-Hogg-Dubajae syndrome (Ubogay-Rainey et al). 1987;16:452-7
- Trichophyton**
Ecology of dermatophyte infections in South Bronx, New York, 1969-1981 (McLean et al). 1987;16:336-40
- Trichorrhexis nodosa**
Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)
- Trichothiodystrophy**
PIBI(D)S syndrome-trichothiodystrophy with xeroderma pigmentosum (group D) mutation (Rebora and Crovato). 1987;16:940-7
- Tumors**
Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)
Expression of human lymphocyte antigen (HLA)-DR on tumor cells in basal cell carcinoma (Kohchiyama et al). 1987;16:833-8

Skin tumors in the European PUVA Study: eight-year follow-up of 1,643 patients treated with PUVA for psoriasis (Henseler et al). 1987;16:108-16

Twisting of hair shaft

Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

U

Ulcers

The pathogenesis of venous ulcers (Lotti et al) (Letter); (Falanga and Eaglstein) (Letter reply). 1987;16:877-8

Ultrastructure

Cutaneous ultrastructural changes and photosensitivity associated with amiodarone therapy (Waitzer et al). 1987;16:779-87

Melanosome macrocomplex: an ultrastructural component of patterned and nonpatterned seborrheic keratoses (Shelley et al). 1987;16:124-8

Ultraviolet light

Antinuclear antibodies during psoralens plus ultraviolet A (PUVA) therapy—are they worthwhile? (Picascia et al). 1987;16:574-7

Comparative efficacy of two dosage forms of oral methoxsalen in psoralens plus ultraviolet A therapy of psoriasis (Lowe et al). 1987;16:994-8

Comparison of methods for assessing photoprotection against ultraviolet A in vivo (Kaidbey and Gange). 1987;16:346-53

Effect of ultraviolet light on topical minoxidil-induced hair growth in advanced male pattern baldness (Pestana et al). 1987;16:971-6

The enhanced monocyte and neutrophil chemotaxis in psoriasis is normalized after treatment with psoralens plus ultraviolet A and anthralin (Ternowitz). 1987;16:1169-75

Urticaria pigmentosa and sunlight (Roupe) (Letter). 1987;16:387-8

Urticaria

Controlled clinical assessment of astemizole in the treatment of chronic idiopathic urticaria and angioedema (Kailasam and Mathews). 1987;16:797-804

Extracellular deposition of eosinophil granule major basic protein in pressure urticaria (Peters et al). 1987;16:513-7

Urticaria pigmentosa and sunlight (Roupe) (Letter). 1987;16:387-8

V

Vaccination

Dermatofibroma occurring in a smallpox vaccination scar (Hendricks) (Letter). 1987;16:146-7

Vanishing cream

Antifungal efficacy of a combination of benzoic and salicylic acids in a novel aqueous vanishing cream formulation (Logan et al) (Letter). 1987;16:136-7

Vascular lesions

Congenital pigmented and vascular lesions in newborn infants (Osburn et al). 1987;16:788-92

Sulfone therapy in the treatment of leukocytoclastic vasculitis (Friedenberg and Malkinson). 1987;16:772-8

Venous ulcers

The pathogenesis of venous ulcers (Lotti et al) (Letter); (Falanga and Eaglstein) (Letter reply). 1987;16:877-8

Vesicles

Purpuric papules and vesicles of the palms in dermatitis herpetiformis (Pierce et al) (Letter). 1987;16:1274-6

Virus

Complex viral and fungal skin lesions of patients with acquired immunodeficiency syndrome (Gretzula and Penneys). 1987;16:1151-4

Dermatologic therapy: December 1985 to December 1986 (Coskey). 1987;16:1219-25 (Therapy)

Vitamin A

Hypervitaminosis A syndrome: a paradigm of retinoid side effects (Silverman et al). 1987;16:1027-39 (Adverse reactions)

Vitamin K₁

Cutaneous hypersensitivity to vitamin K₁ injection (Finkelstein et al). 1987;16:540-5

Vitiligo

Childhood vitiligo (Halder et al). 1987;16:948-54

W

Warts

Alternative therapy in warts (Cryan) (Letter). 1987;16:1261

Condylomata acuminata (genital warts): an epidemiologic view (Chuang). 1987;16:376-84 (Clin. rev.)

Water

Hard water and skin irritation (Osborne) (Letter). 1987;16:1263-4

Watson-Alagille syndrome

Xanthomas in the Watson-Alagille syndrome (Weston and Burton). 1987;16:1117-21

Weathering of hair

Structural abnormalities of the hair shaft (Whiting). 1987;16:1-25 (CME article)

Whipple's disease

Subcutaneous Whipple's disease (Kwee et al). 1987;16:188-90

X

Xanthogranulomatosis

Xanthogranulomatosis in an adult: lipid analysis of xanthomas and plasma (Garvey et al). 1987;16:183-7

Xanthomas

Xanthogranulomatosis in an adult: lipid analysis of xanthomas and plasma (Garvey et al). 1987;16:183-7

Xanthoma striatum palmare associated with multiple myeloma (Friedman and Martin) (Letter). 1987;16:1272-4

Xanthomas in the Watson-Alagille syndrome (Weston and Burton). 1987;16:1117-21

Xeroderma pigmentosum

PIB1(D)S syndrome-trichothiodystrophy with xeroderma pigmentosum (group D) mutation (Rebora and Crovato). 1987;16:940-7

Z

Zinc deficiency

Zinc deficiency in two full-term breast-fed infants (Roberts et al). 1987;16:301-4

